

L-107

IS EACH PIPELINE PUMP EQUIPPED WITH A PSL?

Authority: 30 CFR 250.1004(b)(9)
30 CFR 250.870(a)

Enforcement Actions: C

L-108

ARE INCOMING PIPELINES TO A PLATFORM EQUIPPED WITH AN FSV?

Authority: 30 CFR 250.1004(b)(1)

Enforcement Actions: C

L-109

IS EACH INCOMING, CROSSING, AND BIDIRECTIONAL PIPELINE EQUIPPED WITH AN SDV IMMEDIATELY UPON BOARDING THE PLATFORM?

Authority: 30 CFR 250.1004(b)(2)
30 CFR 250.1004(b)(4)
30 CFR 250.1004(b)(8)

Enforcement Actions: C

L-112

IS THERE A PSH LOCATED ON EACH DEPARTING, CROSSING, OR BIDIRECTIONAL PIPELINE AND SET NO HIGHER THAN 15 PERCENT ABOVE THE HIGHEST PRESSURE IN THE OPERATING RANGE AND NOT ABOVE THE PIPELINE'S MAOP?

Authority: 30 CFR 250.1004(b)(3)
30 CFR 250.1004(b)(4)
30 CFR 250.1004(b)(8)

Enforcement Actions: C

L-113

IS THERE A PSL LOCATED ON EACH DEPARTING, CROSSING, OR BIDIRECTIONAL PIPELINE; AND IS IT SET NO LOWER THAN 15 PERCENT BELOW THE LOWEST PRESSURE IN THE OPERATING RANGE?

Authority: 30 CFR 250.1004(b)(3)
30 CFR 250.1004(b)(4)
30 CFR 250.1004(b)(8)

Enforcement Actions: C

L-114

DOES THE SETTING AT WHICH THE PSV ACTUATES NOT EXCEED THE PIPELINE'S MAOP?

Authority: 30 CFR 250.1002(d)

Enforcement Actions: C

L-121 ARE PIPELINE RISERS INSTALLED AFTER APRIL 1, 1988, PROTECTED FROM PHYSICAL DAMAGE THAT COULD RESULT FROM CONTACT WITH FLOATING VESSELS?

Authority: 30 CFR 250.1003(a)(4)

Enforcement Actions: W/C

L-124 HAVE PIPELINES THAT HAVE BEEN INSTALLED, RELOCATED, UP RATED, OR REACTIVATED AFTER BEING OUT OF SERVICE FOR MORE THAN 1 YEAR, BEEN HYDROSTATICALLY TESTED WITH WATER TO A STABILIZED PRESSURE OF AT LEAST 1.25 TIMES THE MAOP FOR AT LEAST 8 HOURS?

Authority: 30 CFR 250.1003(b)(1)

Enforcement Actions: W

L-125 PRIOR TO RETURNING A PIPELINE TO SERVICE AFTER A REPAIR, HAS THE PIPELINE BEEN PRESSURE TESTED WITH WATER OR PROCESSED NATURAL GAS TO A MINIMUM STABILIZED PRESSURE OF AT LEAST 1.25 TIMES THE MAOP FOR AT LEAST 2 HOURS?

Authority: 30 CFR 250.1003(b)(2)

Enforcement Actions: W

L-126 ARE PIPELINES AND ASSOCIATED VALVES, FLANGES, AND FITTINGS; DESIGNED, INSTALLED, OPERATED, AND MAINTAINED TO PROVIDE SAFE AND POLLUTION-FREE OPERATIONS?

Authority: 30 CFR 250.1000(a)

Enforcement Actions: W/C/S

L-127 IS EACH OIL PIPELINE EQUIPPED WITH A METERING SYSTEM TO PROVIDE A CONTINUOUS VOLUMETRIC COMPARISON OR A SYSTEM CAPABLE OF DETECTING LEAKS IN A PIPELINE WHEN IT IS REQUIRED BY THE REGIONAL SUPERVISOR?

Authority: 30 CFR 250.1004(b)(5)

Enforcement Actions: W

Out-Of-Service Pipelines

L-140 ARE OUT-OF-SERVICE PIPELINES ISOLATED AT EACH END?

Authority: 30 CFR 250.1006(b)(1)

Enforcement Actions: W

L-141 ARE PIPELINES OUT OF SERVICE FOR MORE THAN 1 YEAR (365 CALENDAR DAYS), FLUSHED AND FILLED WITH INHIBITED SEAWATER?

Authority: 30 CFR 250.1006(b)(2)

Enforcement Actions: W

L-142 ARE PIPELINES OUT OF SERVICE FOR MORE THAN 5 YEARS (1,825 CALENDAR DAYS), REMOVED OR DECOMMISSIONED IN PLACE WHEN AUTHORIZED BY THE REGIONAL SUPERVISOR?

Authority: 30 CFR 250.1006(b)(3)
30 CFR 250.1750
30 CFR 250.1751
30 CFR 250.1752

Enforcement Actions: W

L-143 ARE PIPELINES OUT OF SERVICE FOR 5 YEARS (1,825 CALENDAR DAYS), OR MORE, REMOVED IF THE PIPELINES ARE DETERMINED BY THE REGIONAL SUPERVISOR TO BE OBSTRUCTIONS?

Authority: 30 CFR 250.1006(b)(3)
30 CFR 250.1752
30 CFR 250.1754

Enforcement Actions: W

L-144 HAS THE LESSEE OR THE ROW HOLDER REPORTED TO THE REGIONAL SUPERVISOR ANY PIPELINE TAKEN OUT OF SERVICE?

Authority: 30 CFR 250.1008(c)

Enforcement Actions: W
