U.S. Department of the InteriorBureau of Safety and Environmental
Enforcement (BSEE)

Revised Permit to Modify (RPM)

Lease P00316 Area SM	Block 6575 Well Name B01	15 ST 01 BP 00 Type Development
Application Status Appro	oved Operator 03280 Fre	eeport-McMoRan Oil & Gas LLC
Pay.gov Amount:	Agency Tracking ID:	Pay.gov Tracking ID:
General Information		
API 043112063701	Approval Dt 10-JAN-2020	Approved By John Kaiser
Submitted Dt 09-JAN-2020	Well Status Completed	Water Depth 603
Surface Lease P00316	Area SM	Block 6576

Approval Comments

Conditions of Approval:

- 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease terms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager.
- 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation.
- 3) Any casing or annuli that fails a pressure test or bubble test must be reported to the Permitting section and remediated before proceeding.
- 4) A revised PE certification is needed if (1) the plug type changes in any way including changes in cement properties, (2) any plug's setting depth (even the ones that are not required per 250.1715), changes ± 100 ' TVD, (3) the pressure test changes on any plug, (4) less cement is to be pumped, (5) more cement is to be pumped in order to isolate a hydrocarbon zone that was not anticipated in the original permit, (6) a remedial cement job is required that was not included in the original permit, or (7) any plug change that makes you deviate from the §250.1715 table.
- 5) You must have a PE certify these changes prior to these operations being performed. You must submit a revised permit with the PE certification for the revisions to this office within 72 hours.
- 6) All pressure containing equipment must be tested to the approved permitted pressure and recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change and a RPM submitted to document the change.
- 7) At the end of this operation, a tree or dry hole tree must be installed for the purpose of monitoring all non-structural casing annuli that are tied back to the surface.
- 8) Data must be submitted with the End of Operations Report (EOR) to demonstrate that the fluid left in the hole meets 30 CFR 250.1715(a)9. Corrosion inhibitor and biocide are recommended additives but not required.
- 9) Notify the Permitting Section at Least 24 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging.
- 10) Results of all annuli testing and plug testing must be included with the EOR.
- 11) WAR reports are due no later than noon each Wednesday.
- 12) Initial movement of CTU equipment onto the platform must be reported in eWells.
- 13) A pre-workover rig (or CTU, or HWU) inspection must be done prior to APM startup of the first well with that equipment.
- 14) The Permitting section must be notified at least 24 hours in advance of pressure testing annuli or plugs so that they might witness same. The Permitting section must also be notified of any plug tags and bubble tests for the same reason.

Correction Narrative

Verbal approval was granted on 01/06/2020, by Mr. John Kaiser. Please refer to attached

Page:

of

U.S. Department of the InteriorBureau of Safety and Environmental Enforcement (BSEE)

Revised Permit to Modify (RPM)

Lease P00316 **Block** 6575 Well Name B015 **ST** 01 BP 00 Type Development Application Status Approved Operator 03280 Freeport-McMoRan Oil & Gas LLC revised procedures and WBS. Permit Primary Type Abandonment Of Well Bore Permit Subtype(s) Temporary Abandonment Operation Description Procedural Narrative CER Narrative attached. Procedures and WBS attached. Subsurface Safety Valve Type Installed SCSSV Feet below Mudline 234 Maximum Anticipated Surface Pressure (psi) 2346 Shut-In Tubing Pressure (psi) 500 Rig Information Name Coast Guard Date IdABS Date Type 31-DEC-2020 31-DEC-2020 * COIL TUBING UNIT 45016 Blowout Preventers --- Test Pressure ---Working Pressure Preventer Size Low High Coil Tubing 10000 250 3500 3500 Wireline 5000 Date Commencing Work (mm/dd/yyyy) 22-NOV-2019 Estimated duration of the operation (days) 10 Verbal Approval Information Official Date (mm/dd/yyyy) Mr. John Kaiser 06-JAN-2020 Questions Number Question Response Response Text YES Is H2S present in the well? If Previously submitted. yes, then comment on the inclusion of a Contingency Plan for this operation. 2 Is this proposed operation the N/A only lease holding activity for the subject lease? If yes, then comment. Will all wells in the well bay N/A and related production equipment be shut-in when moving on to or off of an offshore platform, or

explain.

from well to well on the platform? If not, please

OMB Control Number 1014-0026 OMB Approval Expires 07/31/2020

Revised Permit to Modify (RPM)

Lease PO	00316 Area SM	Block 6575 Wel	1 Namo DO	15 ST 01	PD 00	Type Development			
Lease P00316 Area SM Block 6575 Well Name B015 ST 01 BP 00 Type Development Application Status Approved Operator 03280 Freeport-McMoRan Oil & Gas LLC									
Questions									
Number Question Response Response Text									
4	Are you downhole commingling two or more reservoirs?		N/A						
5	Will the completed interval be within 500 feet of a lease or unit boundary line? If yes, then comment.		N/A						
6	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.		N/A						
7	Will the proposed operation be covered by an EPA Discharge Permit? (Please provide permit number in comments for this question)		N/A						
		AT	TACHMENT	'S					
File Type File Description pdf Rig/Coil Tubing/Snu			ubbing Uni	t BOP Schema	ıtic				
pdf		Proposed Wellbore Schematic							
pdf		Current Wellbore So	chematic						
pdf CER Narrative									
r pdf		Revised Pr	ocedures						
pdf Well B-15 CER									
CONTACTS									
Name		Nancy Rodriguez							
Company Freeport-McMoRan Oi		il & Gas I	LC						
Phone Number 281-539-7640									
E-mail Address									
Contact	Description	-							

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to co

Name	and	Title		Date	
			Nancy Rodriguez, Regulatory Technician		09-JAN-2020

U.S. Department of the Interior Bureau of Safety and Environmental Enforcement (BSEE)

Revised Permit to Modify (RPM)

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.

Page:

οf