### **Revised Permit to Modify (RPM)**

Lease P00217	Area LA	Block 6861	Well Name A0	03 <b>ST</b> 00 <b>BP</b> 00	) Type Development
Application St	<b>atus</b> Appro	oved <b>Ope</b>	<b>rator</b> 03539 Be	acon West Energy (	Group, LLC
Pay.gov Amount:		Agency Tracki	ng ID:	Pay.gov Trackir	
General Info	rmation				
<b>API</b> 0431120421	00	Approval	<b>Dt</b> 01-AUG-201	9 Appro	<b>ved By</b> John Kaiser
Submitted Dt 29	-JUL-2019	Well Sta	<b>tus</b> Temporarly	Abandoned Water	Depth 318
Surface Lease	P00217	Area	LA	Block	6861

#### Approval Comments

Conditions of Approval:

- 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease terms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager.
- 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation.
- 3) Any casing or annuli that fails a pressure test or bubble test must be reported to the Permitting section and remediated before proceeding.
- 4) A revised PE certification is needed if (1) the plug type changes in any way including changes in cement properties, (2) any plug's setting depth (even the ones that are not required per 250.1715), changes ± 100 ' TVD, (3) the pressure test changes on any plug, (4) less cement is to be pumped, (5) more cement is to be pumped in order to isolate a hydrocarbon zone that was not anticipated in the original permit, (6) a remedial cement job is required that was not included in the original permit, or (7) any plug change that makes you deviate from the §250.1715 table.
- 5) You must have a PE certify these changes prior to these operations being performed. You must submit a revised permit with the PE certification for the revisions to this office within 72 hours.
- 6) All pressure containing equipment must be tested to the approved permitted pressure and recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change and a RPM submitted to document the change.
- 7) At the end of this operation, a tree or dry hole tree must be installed for the purpose of monitoring all non-structural casing annuli that are tied back to the surface.
- 8) Data must be submitted with the End of Operations Report (EOR) to demonstrate that the fluid left in the hole meets 30 CFR 250.1715(a)9. Corrosion inhibitor and biocide are recommended additives but not required.
- 9) Notify the Permitting Section at Least 24 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging. You MUST NOT proceed with these operations until an inspector can arrive to witness the testing OR the Permitting Section Chief or his designee waives the witnessing.
- 10) Results of all annuli testing and plug testing must be included with the EOR.
- 11) WAR reports are due no later than noon each Wednesday.

#### Correction Narrative

- 1) Alternate plan removed for condition of 9-5/8" not able to be recovered from 1,686'
- 2) Change in location of Permanent Barrier #1
- 3) Addition of operational plug to cover perfs made in 13-3/8" casing @ 1,671
- 4) Change in 13-3/8" casing cut/pull depth
- 4) Change in location and testing method of Permanent Barrier #2.

Page:

οf

**U.S. Department of the Interior**Bureau of Safety and Environmental Enforcement (BSEE)

## Revised Permit to Modify (RPM)

Lease P00217 Area LA Block 6861 Well Name A003 ST 00 BP 00 Type Development

Application Status Approved Operator 03539 Beacon West Energy Group, LLC

Permit Primary Type Abandonment Of Well Bore

Permit Subtype(s)

Temporary Abandonment

Operation Description

Procedural Narrative

See attached procedure.

Subsurface Safety Valve

Type Installed N/A

Feet below Mudline

Maximum Anticipated Surface Pressure (psi) 590

Shut-In Tubing Pressure (psi) 90

Rig Information

Name	Id	Туре	ABS Date	Coast Guard Date
ENSIGN 333 (GRACE)	333	PLATFORM	08-MAY-2019	08-MAY-2019

Blowout Preventers			Te	st Pressure
Preventer	Size	Working Pressure	Low	High
Wireline		5000		1500
Rams	13.625	5000	250	3500
Annular		5000	250	3500

Date Commencing Work (mm/dd/yyyy) 01-APR-2019

Estimated duration of the operation (days) 60

#### Verbal Approval Information

Official Date (mm/dd/yyyy)

Questions						
Number	Question	Response	Response	Text		
1	Is H2S present in the well? If yes, then comment on the	NO		previously isolated. Approved H2S contingency plan in place.		
	inclusion of a Contingency Plan for this operation.					
2	Is this proposed operation the only lease holding activity for the subject lease? If yes, then comment.	NO				
3	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	YES				
4	Are you downhole commingling two or more reservoirs?	NO				

of

# Revised Permit to Modify (RPM)

Lease	P00217 <b>Area</b>	LA Block 6861 Well Name A003 ST 00 BP 00 Type Develo	pment
Applio	cation Status	Approved Operator 03539 Beacon West Energy Group, LLC	
Quest	ions		
Numbe	er Question	Response Response Text	
5	within 500	mpleted interval be NO feet of a lease or ry line? If yes, t.	
6	casings be	nt abandonment, will N/A cut 15 feet below the no, then comment.	
7	covered by Permit? (Pl	oposed operation be YES CAG280000 an EPA Discharge ease provide permit omments for this	
		ATTACHMENTS	
File 1	Гуре	File Description	
pdf		Proposed Wellbore Schematic	
pdf		Current Wellbore Schematic	
odf		5 yr Cert - QTI14546 spool 21.250 x 4 ft	
odf		5 yr Cert - QTI18411 spacer spool 13.625 x 20 ft	
odf		5 yr Cert - QTI32225 spool 21.250 x 20 ft	
odf		5 yr Cert - QTI38225_QTI38222 flex rams	
pdf		5 yr Cert - QTI50280 double bop	
pdf		5 yr Cert - QTI56512 tandem boosters	
pdf		5 yr Cert - QTI56528 large bore bonnets	
pdf		5 yr Cert - QTI64539 annular	
pdf		5 yr Cert - QTI68455 drill spool	
pdf		5 yr Cert - QTI69556 blind shear rams	
pdf		5 yr Cert - QTI71635 man kill side gate	
pdf		5 yr Cert - QTI71636 man choke side gate	
pdf		5 yr Cert - QTI71637 spare man gate valve	
pdf		5 yr Cert - QTI71638 hyd kill side gate	
pdf		5 yr Cert - QTI71639 hyd choke side gate	
- odf		5 yr Cert - QTI71640 spare hyd gate valve	
odf		5 yr cert - QTI51061 single bop	
pdf		Final BOP Ver for Chevron Santa Clara A-3 TA	
pdf		Grace A-3 RPM-3 PE Approved Procedure	
odf		Grace BOP Closing Unit and Modules	
pdf		Grace BOP Maintenance	
pdf		STR-CAMERON 13.625 5K-432013	
pdf		Well A-003 TA Categorical Exclusion Review	
pdf		Verbal Approval Documentation-07-26-2019	

Page:

of

4

CONTACTS

**U.S. Department of the Interior**Bureau of Safety and Environmental
Enforcement (BSEE)

### **Revised Permit to Modify (RPM)**

**Lease** P00217 **Block** 6861 Well Name A003 **ST** 00 **BP** 00 Type Development Application Status Approved Operator 03539 Beacon West Energy Group, LLC Name CONTACTS Kristof Igloi Company Phone Number E-mail Address 805-395-9949 Contact Description kristof.iqloi@beacon-west.com Project Specialist Jeremy Lenoir Chevron U.S.A. Inc. 985-773-7088 kzss@Chevron.com Lead Well Engineer Katie Preskitt Chevron U.S.A. Inc. 985-773-7113 kpreskitt@chevron.com

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to complete and accurate to the

Name	and	Title		Date	
			Jeremy Lenoir, Project Manager		29-JUL-2019

Well P&A Coordinator

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.

Page:

οf