Application for Permit to Modify (APM)

Lease P00300 Area LB B	lock 6438 Well Name A00	02 ST 00 BP 00 Type Development
Application Status Approve	ed Operator 03126 Bet	ta Operating Company, LLC
Pay.gov Amount: \$125.00	Agency Tracking ID: EWL-APM-	Pay.gov -207225 Tracking ID: 26LVJ2BP
General Information		
API 043122002600	Approval Dt 11-DEC-2019	Approved By John Kaiser
Submitted Dt 05-DEC-2019	Well Status Completed	Water Depth 265
Surface Lease P00300	Area LB	Block 6438

Approval Comments

Conditions of Approval:

- 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease terms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager.
- 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation.
- 3) All pressure containing equipment, if necessary, must be tested to the approved permitted pressure and recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change and a RPM submitted to document the change.
- 4) Notify the Permitting Section at Least 24 hours in advance of beginning these approved operations.
- 5) WAR reports are due no later than noon each Wednesday

Correction Narrative

Permit Primary Type Enhance Production

Permit Subtype(s)

Acidize

Operation Description

acid stimulation to remove iron sulfide scale and sludge from the gravel pack screens to enhance both injection rate and injection profile. Then run a Western Wireline memory spinner survey.

Procedural Narrative

A-02 injection well requires an acid stimulation to remove iron sulfide scale and sludge from the gravel pack screens to enhance both injection rate and injection profile. This Procedure uses Schlumberger acid stimulation, and then run a Western Wireline memory spinner survey.

Schlumberger Acid Treatment

SB4 Volume Calculation:

4,450 gals for a 400 ft perforation Interval with reservoir porosity of 26% = 5480 gals.

Job design calls for 4,450 gals of 15% HCL equivalent DUD Acid

Subsurface Safety Valve

Application for Permit to Modify (APM)

Lease P00300 Area LB Block 6438 Well Name A002 ST 00 BP 00 Type Development

Application Status Approved Operator 03126 Beta Operating Company, LLC

Type Installed SCSSV

Feet below Mudline 250

Maximum Anticipated Surface Pressure (psi) 1400

Shut-In Tubing Pressure (psi)

Rig Information

Name Id Type ABS Date Coast Guard Date BETA RIG #1 36007 PLATFORM 01-JAN-2014 01-JAN-2014

Blowout Preventers --- Test Pressure ---Working Pressure Preventer Size Low High Rams 2x55000 250 2350 Annular 5000 250 2350

Date Commencing Work (mm/dd/yyyy) 11-DEC-2019

Estimated duration of the operation (days) 9

Verbal Approval Information

Official Date (mm/dd/yyyy)

Questions						
Number	Question	Response	Response Text			
1	Is H2S present in the well? If yes, then comment on the inclusion of a Contingency Plan for this operation.	NO				
2	Is this proposed operation the only lease holding activity for the subject lease? If yes, then comment.	NO				
3	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	N/A				
4	Are you downhole commingling two or more reservoirs?	NO				
5	Will the completed interval be within 500 feet of a lease or unit boundary line? If yes, then comment.	NO				
6	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.	N/A				
7	Will the proposed operation be covered by an EPA Discharge Permit? (Please provide permit number in comments for this question)	N/A				

Application for Permit to Modify (APM)

Lease P00300 Area I	B Block 6438 Well Name A002 ST 00 BP 00 Type Development							
Application Status Ag	oproved Operator 03126 Beta Operating Company, LLC							
ATTACHMENTS								
File Type File Description								
pdf	Proposed Wellbore Schematic							
pdf	Current Wellbore Schematic							
pdf	A-02 PROGRAM							
pdf	Well A-02 CER							
	CONTACTS							
Name	Marielle Lomax							
Company	Beta Operating Company, LLC							
Phone Number	562-628-1544							
E-mail Address	marielle.lomax@amplifyenergy.com							
Contact Description	Operations Engineer							

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to careful the statement of the careful that information submitted is complete and accurate to the best of my knowledge.

Name and Title		Date	
	Marielle Lomax, Drilling Engineer		05-DEC-2019

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.

Page:

of

3