Application for Permit to Modify (APM)

Lease P00216 Area I	LA Block 686	62 Well Name S03	4 ST 00 BP 00) Type Development
pplication Status Application Status	pproved	Operator 02531 DCO	R, L.L.C.	
Pay.gov	Ag	gency	Pay.gov	
Amount:	Tı	racking ID: 75634710	319 Trackin	g ID: 26E2S4Q7
General Information PI 043112059100 Submitted Dt 12-DEC-20 Surface Lease P00216 Supproval Comments Conditions of Approva All operations must cerms and stipulation operators (NTLs), the my written instruction (NTLs), the (NTLS), the (NTLS), the (NTLS), the (NTLS), the (NTLS), the (NTLS), the (NTLS), the (NTLS), the (NTLS), the (NTLS), the (NTLS), the (NTLS), the (NTLS	on Appr 018 Well Area al: st be conduct is, the regul e approved (r cons or order cmit (includi ors upon requ aining equipm the equipmen ciate Distric	roval Dt 21-DEC-2018 1 Status Completed a LA ted in accordance with lations of 30 CFR Para revised) Application res of the District Ma ing all attachments) uest during the permi- ment must be tested to report. If well present in use must be test to the state of the	Approv Water Block th the OCS Lands rt 250, Notices t for Permit to Mo anager. must be kept on itted operation. to the approved p ssures exceed the sted at a minimum	ved By John Kaiser Depth 205 6862 Act (OCSLA), the leas o Lessees and dify (APM/RPM), and
RPM submitted to do	cument the c	change.		
) Notify the Permitt perations AND of any) WAR reports are du correction Narrative	ing Section v required BO ae no later t	at Least 24 hours in DP tests.		nning these approved
 Notify the Permitt perations AND of any WAR reports are du Correction Narrative Permit Primary Type W 	ing Section v required BO ae no later t	at Least 24 hours in DP tests.		nning these approved
) Notify the Permitt perations AND of any) WAR reports are du correction Narrative Permit Primary Type W Permit Subtype(s)	ing Section v required BO ae no later t	at Least 24 hours in DP tests.		nning these approved
 Notify the Permitt perations AND of any WAR reports are du Correction Narrative Permit Primary Type W Permit Subtype(s) Change Tubing 	ing Section v required BO ne no later t Vorkover	at Least 24 hours in DP tests.		nning these approved
A) Notify the Permitt operations AND of any b) WAR reports are du Correction Narrative Permit Primary Type W Permit Subtype(s) Change Tubing Operation Description	ing Section required BO ne no later t Vorkover	at Least 24 hours in DP tests. Chan noon each Wednes		nning these approved
A) Notify the Permitt operations AND of any 5) WAR reports are du Correction Narrative Permit Primary Type W Permit Subtype(s) Change Tubing Operation Description Replace tubing and se	ing Section required BO ne no later t Vorkover	at Least 24 hours in DP tests. Chan noon each Wednes		nning these approved
operations AND of any 5) WAR reports are du Correction Narrative Permit Primary Type W Permit Subtype(s)	required BO ne no later t Vorkover	at Least 24 hours in DP tests. Chan noon each Wednes		nning these approved
 Notify the Permitt operations AND of any by WAR reports are du Correction Narrative Permit Primary Type W Permit Subtype(s) Change Tubing Operation Description Replace tubing and se Procedural Narrative See attached Procedur Subsurface Safety Val 	ing Section required BO ne no later t Vorkover n et cement ret	at Least 24 hours in DP tests. Chan noon each Wednes		nning these approved
 Notify the Permitt operations AND of any perations AND of any of AND of any operation Narrative Permit Primary Type Wermit Subtype(s) Change Tubing Operation Description Deplace tubing and second second	required BO ne no later to Norkover	at Least 24 hours in DP tests. Chan noon each Wednes		nning these approved
 Notify the Permitted operations AND of any (a) WAR reports are du correction Narrative Permit Primary Type W Permit Subtype(s) Change Tubing Operation Description Deplace tubing and second to the second	required BO ne no later to Norkover et cement ret ce. Lve CSSV e 486	at Least 24 hours in DP tests. Chan noon each Wednes		nning these approved
 Notify the Permitt perations AND of any WAR reports are du correction Narrative Permit Primary Type W Permit Subtype(s) Change Tubing Pperation Description eplace tubing and se Procedural Narrative ee attached Procedur Pubsurface Safety Val Type Installed So Feet below Mudling 	v required BO ne no later to Norkover et cement ret ce. Lve CSSV e 486 ed Surface Pr	at Least 24 hours in DP tests. Chan noon each Wednes		nning these approved
 Notify the Permitt operations AND of any WAR reports are du Correction Narrative WAR reports are du Correction Narrative Permit Primary Type W Permit Subtype(s) Change Tubing Operation Description Ceplace tubing and se Procedural Narrative Cee attached Procedur Subsurface Safety Val Type Installed So Feet below Mudling Maximum Anticipat Shut-In Tubing Procession 	v required BO ne no later to Norkover et cement ret ce. Lve CSSV e 486 ed Surface Pr	at Least 24 hours in DP tests. Chan noon each Wednes		nning these approved
 Notify the Permitt operations AND of any () WAR reports are du correction Narrative Permit Primary Type W Permit Subtype(s) Change Tubing Operation Description Ceplace tubing and set Procedural Narrative See attached Procedur Type Installed So Feet below Mudling Maximum Anticipat Shut-In Tubing Proce 	required BO ne no later ti Vorkover et cement ret ce. Lve CSSV e 486 ed Surface Pr essure (psi)	at Least 24 hours in OP tests. Chan noon each Wednes cainer.	5day.	
 Notify the Permitt perations AND of any) WAR reports are du correction Narrative Permit Primary Type W Permit Subtype(s) Change Tubing Peration Description Deplace tubing and set Procedural Narrative Description Set attached Procedur Type Installed So Feet below Mudling Maximum Anticipat Shut-In Tubing Procession Name 	required BO ne no later ti Vorkover et cement ret ce. ve CSSV a 486 ed Surface Pr essure (psi)	at Least 24 hours in OP tests. Chan noon each Wednes cainer.		nning these approved
Notify the Permitt operations AND of any () WAR reports are du correction Narrative Permit Primary Type W Permit Subtype(s) Change Tubing Operation Description Deplace tubing and se Procedural Narrative See attached Procedur Subsurface Safety Val Type Installed Sc Feet below Mudling Maximum Anticipat Shut-In Tubing Pro Rig Information Name DCOR RIG #10	ing Section r required BO ne no later to Norkover tet cement ret ce. Lve CSSV a 486 ed Surface Pr essure (psi) Ic 44	at Least 24 hours in OP tests. Chan noon each Wednes cainer. ressure (psi) 750 d Type	ABS Date	Coast Guard Date
 Notify the Permitt operations AND of any perations AND of any operation Narrative WAR reports are du correction Narrative Permit Subtype(s) Change Tubing Operation Description Ceplace tubing and second peratice Safety Val Type Installed So Feet below Mudling Maximum Anticipat Shut-In Tubing Pro- Rig Information Name DCOR RIG #10 Blowout Preventer 	required BO ne no later ti lorkover et cement ret ce. Lve CSSV e 486 ed Surface Pr essure (psi) Ic 44	at Least 24 hours in DP tests. Than noon each Wednes tainer. ressure (psi) 750 d Type 4501 PLATFORM	ABS Date	Coast Guard Date
 A) Notify the Permitt operations AND of any b) WAR reports are du Correction Narrative Permit Primary Type W Permit Subtype(s) Change Tubing Operation Description Replace tubing and se Procedural Narrative See attached Procedur Subsurface Safety Val Type Installed So Feet below Mudling Maximum Anticipat Shut-In Tubing Pro- Rig Information Name DCOR RIG #10 Blowout Preventer 	required BO ne no later to Norkover et cement ret ce. Lve CSSV e 486 ed Surface Pr essure (psi) Ic 44 S Size	at Least 24 hours in DP tests. Lhan noon each Wednes tainer. ressure (psi) 750 d Type 4501 PLATFORM Working Pressure	ABS Date	Coast Guard Date
A) Notify the Permitt operations AND of any b) WAR reports are du Correction Narrative Permit Primary Type W Permit Subtype(s) Change Tubing Operation Description Replace tubing and se Procedural Narrative See attached Procedur Subsurface Safety Val Type Installed Sc Feet below Mudling Maximum Anticipat Shut-In Tubing Pro Rig Information Name DCOR RIG #10 Blowout Preventer	required BO ne no later ti lorkover et cement ret ce. Lve CSSV e 486 ed Surface Pr essure (psi) Ic 44	at Least 24 hours in DP tests. Than noon each Wednes tainer. ressure (psi) 750 d Type 4501 PLATFORM	ABS Date	Coast Guard Date

U.S. Department of the Interior

Bureau of Safety and Environmental Enforcement (BSEE)

Application for Permit to Modify (APM)

Lease 1		1 Name S			
pplic	ation Status Approved Operato	or 02531 D	COR, L.L.C.		
ate C	ommencing Work (mm/dd/yyyy) 27-DEC-	2018			
stima	ted duration of the operation (days) 10			
'erba	l Approval Information				
	Official	Date (mm	/dd/yyyy)		
uest					
	r Question		Response Text		
1	Is H2S present in the well? If yes, then comment on the	NO			
	inclusion of a Contingency Plan				
	for this operation.				
2	Is this proposed operation the	NO			
	only lease holding activity for				
	the subject lease? If yes, then				
2	comment.				
3	Will all wells in the well bay and related production equipment	NO	SOLID STEEL DECK BETWEEN DRILL DECK ANI WELL BAYS, PER FIELD RULES.		
	be shut-in when moving on to or				
	off of an offshore platform, or				
	from well to well on the				
	platform? If not, please				
	explain.	/-	1		
4	Are you downhole commingling two or more reservoirs?	N/A			
5	Will the completed interval be	NO			
5	within 500 feet of a lease or	110			
	unit boundary line? If yes,				
	then comment.				
6	For permanent abandonment, will	N/A			
	casings be cut 15 feet below the mudline? If no, then comment.				
7	Will the proposed operation be	NO			
/	covered by an EPA Discharge	INO			
	Permit? (Please provide permit				
	number in comments for this				
	question)				
		TACHMEN	rs		
'ile T df	ype File Description Rig/Coil Tubing/Snu	ubbing Uni	t POD Schematic		
df	Proposed Wellbore	-	t bop schematic		
	_				
df	Current Wellbore S	01101101010			
df	Gilda S-34 Well In:				
df	Gilda S-34 Procedu:				
df	DCOR Well Control :				
df	Gilda S-34 Inspect.				
df	Gilda S-34 Engineering Certificate				
df	APM Gilda S-34 Pub	lic Inform	nation		

21-DEC-2018 09:42:01 AM

Application for Permit to Modify (APM)

Lease P00216 Area	LA Block 6862 Well Name S034 ST 00 BP 00 Type Development					
Application Status Approved Operator 02531 DCOR, L.L.C.						
pdf	Gilda S-34 Receipt for APM					
pdf	Categorical Exclusion Review well S-34					
	CONTACTS					
Name	Jimilyn Summers					
Company	DCOR, L.L.C.					
Phone Number	805-535-2061					
E-mail Address	jsummers@dcorllc.com					
Contact Description	1					
	dale bradley					
	DCOR, L.L.C.					
	805-535-2085					
	dbradley@dcorllc.com					
	David Cohen					
	DCOR, L.L.C.					
	805-535-2028					
	dcohen@dcorllc.com					

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to ci

Name and Title

Date

limilyn Summers, Well Operations Technicia

12-DEC-2018

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.