1

of

Page:

3

U.S. Department of the InteriorBureau of Safety and Environmental
Enforcement (BSEE)

Application for Permit to Modify (APM)

Lease P00300 Are	a LB Block	6438	Well Name	A055	ST	BP	Type	Developmen	nt
application Status	Approved	Ope	erator 03126	6 Beta	Operati:	ng Company	, LLC	2	
Pay.gov		Agenc	v			Pay.gov			
Amount: \$125.00			ing ID: EWL-	-APM-19	0602	Tracking	ID: 26	506BDFL	
·									
General Informa	tion								
API 043122008300	A	pprova	1 Dt 25-JAN-	-2017		Approve	d By	John Kais	er
Submitted Dt 19-JAN	-2017 W	ell Sta	atus Complet	ced		Water D	epth	265	
Surface Lease P003	800 A	rea	LB			Block		6438	
Approval Comments									
COAs:									
1 - Notify the Per	mitting Sect:	ion at	least 24 ho	ours in	advance	e of begin	ning	these app	coved
operations and of a									
2- WARs are due wee		than	Wednesday 1	.200pm					
Correction Narrati	<i>r</i> e								
Permit Primary Type	Enhance Pro	ductio	n						
Permit Subtype(s)									
Artifical Lift									
THE CTITICAL HILL									
	ion								
Operation Descript: Pull BHA and replace		ESP.							
Operation Descript	ce with new I	ESP.							
Operation Descript: Pull BHA and replace Procedural Narrative	ce with new I		eference A-5	55 ESP (Change I	Procedure	attac	hed to the	e APM
Operation Descript: Pull BHA and replace Procedural Narration Pull BHA and replace	ce with new I ve ce with new I		eference A-5	55 ESP (Change I	Procedure	attac	hed to the	e APM
Operation Descript: Pull BHA and replace Procedural Narration Pull BHA and replace	ce with new I ve ce with new I Valve		eference A-5	55 ESP (Change I	Procedure	attac	hed to the	e APM
Operation Descript: Pull BHA and replace Procedural Narration Pull BHA and replace Subsurface Safety	ce with new I ve ce with new I Valve SCSSV		eference A-5	55 ESP (Change I	Procedure	attac	hed to the	e APM
Operation Descript: Pull BHA and replace Procedural Narrative Pull BHA and replace Subsurface Safety Type Installed Feet below Mudl	ce with new I ve ce with new I Valve SCSSV ine 250	ESP. Re			Change I	Procedure	attac	hed to the	∋ APM
Operation Descript: Pull BHA and replace Procedural Narration Pull BHA and replace Subsurface Safety Type Installed Feet below Mudl Maximum Anticip	ce with new I ve ce with new I Valve SCSSV ine 250 ated Surface	ESP. Re			Change I	Procedure	attac	hed to the	e APM
Operation Descript: Pull BHA and replace Procedural Narrative Pull BHA and replace Subsurface Safety Type Installed Feet below Mudl Maximum Anticip Shut-In Tubing	ce with new I ve ce with new I Valve SCSSV ine 250 ated Surface	ESP. Re			Change I	Procedure	attac	hed to the	e APM
Operation Descript: Pull BHA and replace Procedural Narration Pull BHA and replace Subsurface Safety Type Installed Feet below Mudl Maximum Anticip	ce with new I ve ce with new I Valve SCSSV ine 250 ated Surface	ESP. Re	ure (psi) 1			Procedure		hed to the	
Operation Descript: Pull BHA and replace Procedural Narrative Pull BHA and replace Subsurface Safety Type Installed Feet below Mudl Maximum Anticip Shut-In Tubing Rig Information	ce with new I ve ce with new I Valve SCSSV ine 250 ated Surface	Pressu	ure (psi) 1 [.] Type	400	Aì		Cc		
Operation Descript: Pull BHA and replace Procedural Narration Pull BHA and replace Subsurface Safety Type Installed Feet below Mudl Maximum Anticip Shut-In Tubing Rig Information Name BETA RIG #1	ce with new I ve ce with new I Valve SCSSV ine 250 ated Surface Pressure (ps	Pressui)	ure (psi) 14 Type	400	A J 0:	3 S Date L-JAN-2014	Cc	oast Guard	
Operation Descript: Pull BHA and replace Procedural Narration Pull BHA and replace Subsurface Safety Type Installed Feet below Mudl Maximum Anticip Shut-In Tubing Rig Information Name BETA RIG #1 Blowout Prevente	ce with new I ve ce with new I Valve SCSSV ine 250 ated Surface Pressure (ps	Pressii) Id 36007	ure (psi) 14 Type PLATFOR	400 RM	A 1 0: Tes	3S Date L-JAN-2014 t Pressur	Cc	oast Guard	
Operation Descript: Pull BHA and replace Procedural Narration Pull BHA and replace Subsurface Safety Type Installed Feet below Mudl Maximum Anticip Shut-In Tubing Rig Information Name BETA RIG #1 Blowout Preventer	ce with new I ve ce with new I Valve SCSSV ine 250 ated Surface Pressure (ps	Pressii) Id 36007	ure (psi) 14 Type PLATFORM Working Pres	400 RM	Al 0: Tes Low	BS Date L-JAN-2014 t Pressur High	Cc	oast Guard	
Operation Descript: Pull BHA and replace Procedural Narrative Pull BHA and replace Subsurface Safety Type Installed Feet below Mudl Maximum Anticip Shut-In Tubing Rig Information Name BETA RIG #1 Blowout Preventer Rams	ce with new I ve ce with new I Valve SCSSV ine 250 ated Surface Pressure (ps	Pressii) Id 36007	Type PLATFOR	400 RM	A) 0: Tes Low 250	3S Date L-JAN-2014 t Pressur High 2350	Cc	oast Guard	
Operation Descript: Pull BHA and replace Procedural Narration Pull BHA and replace Subsurface Safety Type Installed Feet below Mudl Maximum Anticip Shut-In Tubing Rig Information Name BETA RIG #1 Blowout Preventer Rams Annular	ce with new I ve ce with new I Valve SCSSV ine 250 ated Surface Pressure (ps ers Size 2x5"	Pressii) Id 36007	Type PLATFOR Working Pres	400 RM	Al 0: Tes Low	BS Date L-JAN-2014 t Pressur High	Cc	oast Guard	
Operation Descript: Pull BHA and replace Procedural Narrative Pull BHA and replace Pull BHA and replace Pull BHA and replace Subsurface Safety Type Installed Feet below Mudl Maximum Anticip Shut-In Tubing Rig Information Name BETA RIG #1 Blowout Prevente Preventer Rams Annular Date Commencing Wor	ce with new I ve ce with new I Valve SCSSV ine 250 ated Surface Pressure (ps Size 2x5"	Press i) Id 36007 W 5	Type PLATFOR Working Pres	400 RM	A) 0: Tes Low 250	3S Date L-JAN-2014 t Pressur High 2350	Cc	oast Guard	
Operation Descript: Pull BHA and replace Procedural Narrative Pull BHA and replace Subsurface Safety Type Installed Feet below Mudl Maximum Anticip Shut-In Tubing Rig Information Name BETA RIG #1 Blowout Preventer Rams Annular Date Commencing Wood Estimated duration	ce with new I ve ce with new I Valve SCSSV ine 250 ated Surface Pressure (ps Size 2x5" rk (mm/dd/yy) of the opera	Pressii) Id 36007 W 5 77) 25- ation (Type PLATFOR Working Pres	400 RM	A) 0: Tes Low 250	3S Date L-JAN-2014 t Pressur High 2350	Cc	oast Guard	
Operation Descript: Pull BHA and replace Procedural Narrative Pull BHA and replace Subsurface Safety Type Installed Feet below Mudl Maximum Anticip Shut-In Tubing Rig Information Name BETA RIG #1 Blowout Preventer Rams Annular Date Commencing Word Estimated duration Werbal Approval	ce with new I ve ce with new I Valve SCSSV ine 250 ated Surface Pressure (ps Size 2x5" rk (mm/dd/yy) of the opera	Pressii) Id 36007 W 5 77) 25- ation (Type PLATFOR Working Pres 5000 5000 -JAN-2017	400 RM ssure	A1 0: Tes Low 250 250	3S Date L-JAN-2014 t Pressur High 2350	Cc	oast Guard	
Operation Descript: Pull BHA and replace Procedural Narration Pull BHA and replace Subsurface Safety Type Installed Feet below Mudl Maximum Anticip Shut-In Tubing Rig Information Name BETA RIG #1 Blowout Preventer Rams Annular Date Commencing Woods Stimated duration Werbal Approval Official	ce with new I ve ce with new I Valve SCSSV ine 250 ated Surface Pressure (ps Size 2x5" rk (mm/dd/yy) of the opera	Pressii) Id 36007 W 5 77) 25- ation (Type PLATFOR Working Pres 5000 5000 -JAN-2017	400 RM	A1 0: Tes Low 250 250	3S Date L-JAN-2014 t Pressur High 2350	Cc	oast Guard	
Operation Descript: Pull BHA and replace Procedural Narrative Pull BHA and replace Subsurface Safety Type Installed Feet below Mudl Maximum Anticip Shut-In Tubing Rig Information Name BETA RIG #1 Blowout Preventer Rams Annular Date Commencing Word Estimated duration Verbal Approval Official Questions	ce with new I ve ce with new I Valve SCSSV ine 250 ated Surface Pressure (ps Size 2x5" rk (mm/dd/yy) of the opera	Pressii) Id 36007 W 5 77) 25- ation (Type PLATFOR Working Pres 5000 5000 -JAN-2017 (days) 5	400 RM ssure (mm/dd/	Ai 0: Tes Low 250 250	SS Date L-JAN-2014 t Pressur High 2350 2350	Cc	oast Guard	
Operation Descript: Pull BHA and replace Procedural Narrative Pull BHA and replace Subsurface Safety Type Installed Feet below Mudl Maximum Anticip Shut-In Tubing Rig Information Name BETA RIG #1 Blowout Preventer Rams Annular Date Commencing World Estimated duration Verbal Approval Official Questions Number Question	ce with new I ve ce with new I Valve SCSSV ine 250 ated Surface Pressure (ps Size 2x5" rk (mm/dd/yy) of the opera	Pressii) Id 36007 W 5 yy) 25- ation (Type PLATFOR Working Pres 5000 -JAN-2017 (days) 5 Date	400 RM ssure (mm/dd/	A1 0: Tes Low 250 250	SS Date L-JAN-2014 t Pressur High 2350 2350	Cc	oast Guard	

for this operation.

Application for Permit to Modify (APM)

Lease	P00300 Area LB	Block 6438 Wel	.1 Name	A055	ST	BP	Type Development
Applic	ation Status App	roved Operato	or 03126	3eta	Operating	Company	, LLC
Quest	ions						
Numbe	er Question		Respons	e Re	sponse Tex	t	
2	only lease hol	ed operation the ding activity for ase? If yes, then	N/A				
3	and related pr		NO				
4	Are you downho	le commingling two oirs?	NO				
5	within 500 fee	eted interval be t of a lease or line? If yes,	NO				
6	casings be cut	abandonment, will 15 feet below the , then comment.	N/A				
7	covered by an	e provide permit	N/A				
		AT.	TACHMEN	ITS			
File T pdf	!ype	File Description Ellen BOP certs pa	rt 3				
pdf		Proposed Wellbore	Schematio	2			
odf Current Wellbore So		chematic					
odf A-55 ESP Change Pro		ogram					
pdf		A-55 PUBLIC NOTICE	APM				
			CONTACT	S			
Name		Cory Klett					
Compa	ny						
Phone Number 5626281543							
E-mail Address cklett@memorialpp.		com					
Conta	ct Description	Engineer					

OMB Control Number 1014-0026 OMB Approval Expires 05/31/2017

Application for Permit to Modify (APM)

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to careful the careful transfer of transfer of

Name and Title

Cory Klett, Drilling Engineer

Date

19-JAN-2017

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.

Page:

of

3