Application for Permit to Modify (APM)

Lease P00205 Area LA	Block 6913 Well Na	ame E006 ST 02 BP 00 Type Development
Application Status App	roved Operator 03	539 Beacon West Energy Group, LLC
Pay.gov Amount: \$145.00	Agency Tracking ID: E	Pay.gov CWL-APM-242917 Tracking ID: 2711MGVC
General Information	1	
API 043112067102	Approval Dt 12-A	UG-2022 Approved By John Kaiser
Submitted Dt 09-AUG-202	2 Well Status Temp	orarly Abandoned Water Depth 739
Surface Lease P00205	Area LA	Block 6912

Approval Comments

Conditions of Approval:

- 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease terms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager.
- 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation.
- 3) Any casing or annuli that fails a pressure test or bubble test must be reported to the Permitting section and remediated before proceeding.
- 4) A revised PE certification is needed if (1) the plug type changes in any way including changes in cement properties,(2) any plug's setting depth (even the ones that are not required per 250.1715), changes ± 100 ' TVD, (3) the pressure test changes on any plug, (4) less cement is to be pumped, (5) more cement is to be pumped in order to isolate a hydrocarbon zone that was not anticipated in the original permit, (6) a remedial cement job is required that was not included in the original permit, or (7) any plug change that makes you deviate from the §250.1715 table.
- 5) You must have a PE certify these changes prior to these operations being performed. You must submit a revised permit with the PE certification for the revisions to this office within 72 hours.
- 6) All pressure containing equipment must be tested to the approved permitted pressure and recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change and a RPM submitted to document the change.
- 7) At the end of this operation, a tree or dry hole tree must be installed for the purpose of monitoring all non-structural casing annuli that are tied back to the surface.
- 8) Data must be submitted with the End of Operations Report (EOR) to demonstrate that the fluid left in the hole meets 30 CFR 250.1715(a)9. Corrosion inhibitor and biocide are recommended additives but not required.
- 9) Notify the Permitting Section at Least 24 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging. You MUST NOT proceed with these operations until an inspector can arrive to witness the testing OR the Permitting Section Chief or his designee waives the witnessing.
- 10) Results of all annuli testing and plug testing must be included with the EOR.
- 11) WAR reports are due no later than noon each Wednesday.

Correction Narrative

Permit Primary Type Abandonment Of Well Bore
Permit Subtype(s)

Temporary Abandonment

Operation Description

U.S. Department of the InteriorBureau of Safety and Environmental Enforcement (BSEE)

Application for Permit to Modify (APM)

Lease P00205 Area LA Block 6913 Well Name E006 ST 02 BP 00 Type Development

Application Status Approved Operator 03539 Beacon West Energy Group, LLC

Procedural Narrative

See attached procedure

Subsurface Safety Valve

Type Installed SCSSV

Feet below Mudline 199

Maximum Anticipated Surface Pressure (psi) 1649

Shut-In Tubing Pressure (psi) 0

Maximum Anticipated Wellhead Pressure (psi) 1649

Shut-In Wellhead Pressure (psi) 0

Rig Information

Name Id Type ABS Date Coast Guard Date
* HYDRAULIC WORKOVER UNIT 47935 Hydraulic Workove: 31-DEC-2049 31-DEC-2049

Blowout Preventers				Test P	Pressure
	Preventer	Size	Working Pressure	Low	High
	Rams	11	5000	250	3000
	Annular		5000	250	3000
	Wireline		500		1649

Date Commencing Work (mm/dd/yyyy) 20-AUG-2022

Estimated duration of the operation (days) 15

Verbal Approval Information

Official Date (mm/dd/yyyy)

Questi	Questions				
Number	Question	Response	Response Text		
1	Is H2S present in the well? If yes, then comment on the inclusion of a Contingency Plan for this operation.	NO	H2S contingency plan in place for Gail platform		
2	Is this proposed operation the only lease holding activity for the subject lease? If yes, then comment.	N/A			
3	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	YES			
4	Are you downhole commingling two or more reservoirs?	N/A			

U.S. Department of the InteriorBureau of Safety and Environmental
Enforcement (BSEE)

Application for Permit to Modify (APM)

\	·			
uest	r Ouestion	Pegnonge	Response Text	
5	Will the completed interval be	N/A	Response Text	
	within 500 feet of a lease or	11,71		
	unit boundary line? If yes,			
	then comment.			
6	For permanent abandonment, will	N/A		
	casings be cut 15 feet below the			
	mudline? If no, then comment.			
7	Will the proposed operation be	YES	CAG280000	
	covered by an EPA Discharge			
	Permit? (Please provide permit			
	number in comments for this question)			
J	Are you pulling tubulars and/or	NO		
	casing with a crane? If "YES"	110		
	have documentation on how you			
	will verify the load is free per			
	API RP 2D. This documentation			
	must be maintained by the lessee			
	at the lessee's field office.			
M	For both surface and subsea	NO		
	operations, are you utilizing a dynamically positioned vessel			
	and/or non-bottom supported			
	vessel at any time during this			
	operation?			
	A.	TACHMENT	TS .	
ile T	ype File Description			
df	BEACON DNA			
df	E6_TA_APM_PE Approved			
df	Final BOP Verifica	Final BOP Verification for Chevron Platform Gail E-6 ST02 TA		
df	Shear Test Report	Shear Test Report 11 5M UM SBT DS 3.5 Q125 w 0.25 316L CL R1		
df	Shear Test Report	Shear Test Report 11inch 10M UM SBT DS 5.5 G3-125		
df	B397_B431 bonnets	B397_B431 bonnets		
df	B405 REV-1	B405 REV-1		
df	B406 REV-1	B406 REV-1		
df	B438 bonnet			
df	B439 bonnet			
df	QTI3230 spool 11_5	M by 10ft		
df	QTI4154 single bop			
	•			

pdf pdf

pdf

pdf pdf QTI7685 spool $11_5M \times 16ft$

QTI9334 spool 11_5M by 5ft

QTI9483 spool 11_5M by 5ft QTI12855 spool 11_5M by 4ft

QTI13091 spool 11_5M by 6ft

Application for Permit to Modify (APM)

Lease P00205	Area LA Block 6913 Well Name E006 ST 02 BP 00 Type Development
Application St	atus Approved Operator 03539 Beacon West Energy Group, LLC
pdf	QTI21222 spool 11_5M by 2ft
pdf	QTI21301 upper flex rams
pdf	QTI22876 double bop
pdf	QTI34266 comp flg
pdf	QTI40755 comp flg
pdf	QTI52177 shear rams
pdf	QTI55408 blind flg 4_5M
pdf	QTI55954 spool 11_5M by 3ft
pdf	QTI56332 um bonnet
pdf	QTI56535 vbr rams
pdf	QTI58964 dsa 11_5M x 13_5M
pdf	QTI59099 spool 11_5M by 2ft
pdf	QTI59929 spool 11_5M by 3ft
pdf	QTI60020 man gate kill side
pdf	QTI61366 vbr rams
pdf	QTI63957 blind flg 2_5M
pdf	QTI66024 blind flg 2_5M
pdf	QTI66026 blind flg 2_5M
pdf	QTI66030 blind flg 2_5M
pdf	QTI66613 spool 11_5M by 4ft
pdf	QTI69258 dsa 11_3M $ imes$ 11_5M
pdf	QTI71018 dsa 11_3M x 11_5M
pdf	QTI71129 annular bop
pdf	QTI71635 man gate
pdf	QTI71636 man gate
pdf	QTI71637 man gate choke side
pdf	QTI71638 hyd gate
pdf	QTI71639 hyd gate choke side
pdf	QTI71639 hyd gate
pdf	QTI71640 hyd gate
pdf	QTI72024 lower flex rams
pdf	QTI72266 blind flg 4_5M
pdf	QTI73219 tandem booster
pdf	06.27.22-Proposed BOP Test Plan w_BSR
pdf	Proposed Wellbore Schematic
pdf	Current Wellbore Schematic
	CONTACTS
Name	Katie Preskitt
Company	Chevron U.S.A. Inc.

U.S. Department of the Interior Bureau of Safety and Environmental Enforcement (BSEE)

Application for Permit to Modify (APM)

Lease P00205 **Block** 6913 Well Name E006 **ST** 02 **BP** 00 Type Development Application Status Approved Operator 03539 Beacon West Energy Group, LLC Phone Number CONTACTS E-mail Address Contact Description 985-773-7113 lhvg@chevron.com Vincent Patin Chevron U.S.A. Inc. 504-460-9310 vincentpatin@chevron.com Lead Well Engineer

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to careful the statement of the careful that making a false statement may subject me to careful the statement of t

Name and Title Date

Katie Preskitt, Technical Assistant 09-AUG-2022

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.

Page:

of

6

U.S. Department of the InteriorBureau of Safety and Environmental
Enforcement (BSEE)

Application for Permit to Modify (APM)

Lease P00205 Area LA Block 6913 Well Name E006 ST 02 BP 00 Type Development Application Status Approved Operator 03539 Beacon West Energy Group, LLC

Request Variance(s)