### **Application for Permit to Modify (APM)**

Lease P00205 Area LA Bloc	<b>x</b> 6912 <b>Well Name</b> E011 <b>ST</b> 00	BP 01 Type Development				
Application Status Approved Operator 03539 Beacon West Energy Group, LLC						
Pay.gov Amount: \$145.00	Agency Tracking ID: EWL-APM-242486	Pay.gov Tracking ID: 271CSTIC				
General Information						
<b>API</b> 043112068200	Approval Dt 20-DEC-2022	Approved By John Kaiser				
Submitted Dt 14-DEC-2022	Well Status Completed	Water Depth 739				
Surface Lease P00205	Area LA	<b>Block</b> 6912				

#### Approval Comments

Conditions of Approval:

- 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease terms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager.
- 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation.
- 3) Any casing or annuli that fails a pressure test or bubble test must be reported to the Permitting section and remediated before proceeding.
- 4) A revised PE certification is needed if (1) the plug type changes in any way including changes in cement properties,(2) any plug's setting depth (even the ones that are not required per 250.1715), changes ± 100 ' TVD, (3) the pressure test changes on any plug, (4) less cement is to be pumped, (5) more cement is to be pumped in order to isolate a hydrocarbon zone that was not anticipated in the original permit, (6) a remedial cement job is required that was not included in the original permit, or (7) any plug change that makes you deviate from the §250.1715 table.
- 5) You must have a PE certify these changes prior to these operations being performed. You must submit a revised permit with the PE certification for the revisions to this office within 72 hours.
- 6) All pressure containing equipment must be tested to the approved permitted pressure and recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change and a RPM submitted to document the change.
- 7) At the end of this operation, a tree or dry hole tree must be installed for the purpose of monitoring all non-structural casing annuli that are tied back to the surface.
- 8) Data must be submitted with the End of Operations Report (EOR) to demonstrate that the fluid left in the hole meets 30 CFR 250.1715(a)9. Corrosion inhibitor and biocide are recommended additives but not required.
- 9) Notify the Permitting Section at Least 24 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging. You MUST NOT proceed with these operations until an inspector can arrive to witness the testing OR the Permitting Section Chief or his designee waives the witnessing.

**U.S.** Department of the Interior Bureau of Safety and Environmental Enforcement (BSEE)

### **Application for Permit to Modify (APM)**

**Lease** P00205 **Block** 6912 Well Name E011 **ST** 00 BP 01 Type Development Operator 03539 Beacon West Energy Group, LLC Application Status Approved 10) Results of all annuli testing and plug testing must be included with the EOR. 11) WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Primary Type Abandonment Of Well Bore Permit Subtype(s) Temporary Abandonment Operation Description Procedural Narrative See attached procedure Subsurface Safety Valve Type Installed N/A Feet below Mudline Maximum Anticipated Surface Pressure (psi) 1657 Shut-In Tubing Pressure (psi) 0 Maximum Anticipated Wellhead Pressure (psi) 1657 Shut-In Wellhead Pressure (psi) Rig Information Name Ιd Туре ABS Date Coast Guard Date 31-DEC-2049 \* HYDRAULIC WORKOVER UNIT 47935 Hydraulic Workove: 31-DEC-2049 Blowout Preventers --- Test Pressure ---Preventer High Size Working Pressure Low Rams 11 5000 250 3000 5000 250 Annular 3000 Wireline 5000 1657 Date Commencing Work (mm/dd/yyyy) 23-DEC-2022 Estimated duration of the operation (days) 12 Verbal Approval Information Official Date (mm/dd/yyyy) Questions Number Question Response Response Text 1 Is H2S present in the well? If YES H2S Contingency Plan in place for yes, then comment on the Platform Gail inclusion of a Contingency Plan for this operation. 2 Is this proposed operation the N/A only lease holding activity for the subject lease? If yes, then

comment.

**U.S. Department of the Interior**Bureau of Safety and Environmental Enforcement (BSEE)

# **Application for Permit to Modify (APM)**

Lease	P00205 Area LA Block 6912 Wel	l Name E	311 ST 00 BP 01 Type Development
Applic	ation Status Approved Operato	or 03539 Be	eacon West Energy Group, LLC
Quest	ions		
Numbe	r Question	Response	Response Text
3	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	N/A	
4	Are you downhole commingling two or more reservoirs?	N/A	
5	Will the completed interval be within 500 feet of a lease or unit boundary line? If yes, then comment.	N/A	
6	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.	N/A	
7	Will the proposed operation be covered by an EPA Discharge Permit? (Please provide permit number in comments for this question)	YES	CAG280000
J	Are you pulling tubulars and/or casing with a crane? If "YES" have documentation on how you will verify the load is free per API RP 2D. This documentation must be maintained by the lessee at the lessee's field office.	NO	
M	For both surface and subsea operations, are you utilizing a dynamically positioned vessel and/or non-bottom supported vessel at any time during this operation?	NO	
	A	TACHMENT	.s
Tile T			
odf	BEACON DNA	n	
odf .a.e	QTI69686 DS Shear I		
odf	QTI55098 DS Shear I		. D
odf	Gail_E-11_PE Appro		
odf			ameron 11 5M UM SBT DS 3.5 L80 9
odf			n Cameron 11 10M UM SBT SBR 4.5
odf			tion for Chevron Platform Gail E
pdf	06.27.22-Proposed 1	BOP Test P	lan w_BSR

B405 REV-1

pdf

# **Application for Permit to Modify (APM)**

Lease P00205 Ar	rea LA Block 6912 Well Name E011 ST 00 BP 01 Type Development
Application Statu	s Approved Operator 03539 Beacon West Energy Group, LLC
pdf	B406 REV-1
pdf	B438 bonnet
pdf	B439 bonnet
pdf	QTI3230 spool 11_5M by 10ft
pdf	QTI4154 single bop
pdf	QTI7685 spool 11_5M x 16ft
pdf	QTI9334 spool 11_5M by 5ft
pdf	QTI9483 spool 11_5M by 5ft
pdf	QTI12855 spool 11_5M by 4ft
pdf	QTI13091 spool 11_5M by 6ft
pdf	QTI21222 spool 11_5M by 2ft
pdf	QTI21301 upper flex rams
pdf	QTI22876 double bop
pdf	QTI34266 comp flg
pdf	QTI40755 comp flg
pdf	QTI55408 blind flg 4_5M
pdf	QTI55954 spool 11_5M by 3ft
pdf	QTI56332 um bonnet
pdf	QTI56535 vbr rams>
pdf	QTI58964 dsa 11_5M x 13_5M
pdf	QTI59099 spool 11_5M by 2ft
pdf	QTI59929 spool 11_5M by 3ft
pdf	QTI60020 man gate kill side
pdf	QTI61366 vbr rams
pdf	QTI63957 blind flg 2_5M
pdf	QTI66024 blind flg 2_5M
pdf	QTI66026 blind flg 2_5M
pdf	QTI66030 blind flg 2_5M
pdf	QTI66613 spool 11_5M by 4ft
pdf	QTI71018 dsa 11_3M x 11_5M
pdf	QTI71129 annular bop
pdf	QTI71635 man gate
pdf	QTI71637 man gate choke side
pdf	QTI71638 hyd gate kill side
pdf	QTI71639 hyd gate choke side
pdf	QTI71639 hyd gate
pdf	QTI71640 hyd gate
pdf	QTI72024 lower flex rams
pdf	QTI72266 blind flg 4_5M

**U.S. Department of the Interior** Bureau of Safety and Environmental Enforcement (BSEE)

## **Application for Permit to Modify (APM)**

Lease P00205 Area LA	A Block 6912 Well Name E011 ST 00 BP 01 Type Development		
Application Status App	proved Operator 03539 Beacon West Energy Group, LLC		
odf	QTI72266 blind flg 4_5M		
odf	QTI73219 tandem booster		
odf	~ QTI69258 dsa 11_3M x 11_5M		
odf	Proposed Wellbore Schematic		
odf	Current Wellbore Schematic		
	CONTACTS		
Name	Jared Shaw		
Company	Chevron U.S.A. Inc.		
Phone Number			
E-mail Address	jared.shaw@chevron.com		
Contact Description	P&A SUpt Gail WSR		
	Chevron U.S.A. Inc.		
	GailWSR@chevron.com		
	Vincent Patin		
	Chevron U.S.A. Inc.		
	504-460-9310		
	vincentpatin@chevron.com		
	Katie Preskitt		
	Chevron U.S.A. Inc.		
	985-773-7113		
	lhvg@chevron.com		

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to  $c_1$ 

Name and Title

Vincent Patin, Well P&A Engineer

Date

14-DEC-2022

OMB Control Number 1014-0026 OMB Approval Expires 10/31/2023

7

of

Page:

### **Application for Permit to Modify (APM)**

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.

U.S. Department of the Interior Bureau of Safety and Environmental Enforcement (BSEE)

## **Application for Permit to Modify (APM)**

**Lease** P00205 Area LA **Block** 6912 Well Name E011 **ST** 00 BP 01 Type Development Application Status Approved Operator 03539 Beacon West Energy Group, LLC

Request Variance(s)