

### Application for Permit to Modify (APM)

<b>Lease</b> P00209	<b>Area</b> LA	<b>Block</b> 6912	<b>Well Name</b> E012	<b>ST</b> 00	<b>BP</b> 00	<b>Type</b> Development
<b>Application Status</b> Approved		<b>Operator</b> 03539 Beacon West Energy Group, LLC				

<b>Pay.gov</b>	<b>Agency</b>	<b>Pay.gov</b>
<b>Amount:</b> \$145.00	<b>Tracking ID:</b> EWL-APM-243295	<b>Tracking ID:</b> 271CTBCT

#### General Information

<b>API</b> 043112068300	<b>Approval Dt</b> 15-NOV-2022	<b>Approved By</b> John Kaiser
<b>Submitted Dt</b> 11-NOV-2022	<b>Well Status</b> Temporarily Abandoned	<b>Water Depth</b> 739
<b>Surface Lease</b> P00205	<b>Area</b> LA	<b>Block</b> 6912

#### Approval Comments

Conditions of Approval:

- 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease terms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager.
- 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation.
- 3) Any casing or annuli that fails a pressure test or bubble test must be reported to the Permitting section and remediated before proceeding.
- 4) A revised PE certification is needed if (1) the plug type changes in any way including changes in cement properties, (2) any plug's setting depth (even the ones that are not required per 250.1715), changes  $\pm 100$  ' TVD, (3) the pressure test changes on any plug, (4) less cement is to be pumped, (5) more cement is to be pumped in order to isolate a hydrocarbon zone that was not anticipated in the original permit, (6) a remedial cement job is required that was not included in the original permit, or (7) any plug change that makes you deviate from the §250.1715 table.
- 5) You must have a PE certify these changes prior to these operations being performed. You must submit a revised permit with the PE certification for the revisions to this office within 72 hours.
- 6) All pressure containing equipment must be tested to the approved permitted pressure and recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change and a RPM submitted to document the change.
- 7) At the end of this operation, a tree or dry hole tree must be installed for the purpose of monitoring all non-structural casing annuli that are tied back to the surface.
- 8) Data must be submitted with the End of Operations Report (EOR) to demonstrate that the fluid left in the hole meets 30 CFR 250.1715(a)9. Corrosion inhibitor and biocide are recommended additives but not required.
- 9) Notify the Permitting Section at Least 24 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging. You MUST NOT proceed with these operations until an inspector can arrive to witness the testing OR the Permitting Section Chief or his designee waives the witnessing.

### Application for Permit to Modify (APM)

**Lease** P00209    **Area** LA    **Block** 6912    **Well Name** E012    **ST** 00    **BP** 00    **Type** Development  
**Application Status** Approved                      **Operator** 03539 Beacon West Energy Group, LLC

10) Results of all annuli testing and plug testing must be included with the EOR.  
 11) WAR reports are due no later than noon each Wednesday.

**Correction Narrative**

**Permit Primary Type** Abandonment Of Well Bore  
**Permit Subtype(s)**  
 Temporary Abandonment

**Operation Description**

**Procedural Narrative**  
 See attached procedure

**Subsurface Safety Valve**  
**Type Installed** SCSSV  
**Feet below Mudline** 162  
**Maximum Anticipated Surface Pressure (psi)** 1721  
**Shut-In Tubing Pressure (psi)** 0  
**Maximum Anticipated Wellhead Pressure (psi)** 1721  
**Shut-In Wellhead Pressure (psi)** 0

**Rig Information**

Name	Id	Type	ABS Date	Coast Guard Date
* HYDRAULIC WORKOVER UNIT	47935	Hydraulic Workove:	31-DEC-2049	31-DEC-2049

**Blowout Preventers**

Preventer	Size	Working Pressure	--- Test Pressure ---	
			Low	High
Rams	11	5000	250	3000
Annular		5000	250	3000
Wireline		5000		1721

**Date Commencing Work (mm/dd/yyyy)** 24-NOV-2022

**Estimated duration of the operation (days)** 11

**Verbal Approval Information**

Official	Date (mm/dd/yyyy)

**Questions**

Number	Question	Response	Response Text
1	Is H2S present in the well? If yes, then comment on the inclusion of a Contingency Plan for this operation.	YES	H2S contingency plan in place for Gail platform
2	Is this proposed operation the only lease holding activity for the subject lease? If yes, then comment.	N/A	

### Application for Permit to Modify (APM)

**Lease** P00209    **Area** LA    **Block** 6912    **Well Name** E012    **ST** 00    **BP** 00    **Type** Development  
**Application Status** Approved                      **Operator** 03539 Beacon West Energy Group, LLC

**Questions**

Number	Question	Response	Response Text
3	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	N/A	
4	Are you downhole commingling two or more reservoirs?	N/A	
5	Will the completed interval be within 500 feet of a lease or unit boundary line? If yes, then comment.	N/A	
6	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.	N/A	
7	Will the proposed operation be covered by an EPA Discharge Permit? (Please provide permit number in comments for this question)	YES	CAG280000
J	Are you pulling tubulars and/or casing with a crane? If "YES" have documentation on how you will verify the load is free per API RP 2D. This documentation must be maintained by the lessee at the lessee's field office.	NO	
M	For both surface and subsea operations, are you utilizing a dynamically positioned vessel and/or non-bottom supported vessel at any time during this operation?	NO	

**ATTACHMENTS**

File Type	File Description
pdf	BEACON DNA
pdf	QTI69686 DS Shear Rams
pdf	QTI55098 DS Shear Rams
pdf	E-12 TA_APM_Procedure_PE Approved.pdf
pdf	QTI59099 spool 11_5M by 2ft
pdf	QTI59929 spool 11_5M by 3ft
pdf	QTI60020 man gate kill side
pdf	QTI61366 vbr rams
pdf	QTI63957 blind flg 2_5M

### Application for Permit to Modify (APM)

<b>Lease</b> P00209	<b>Area</b> LA	<b>Block</b> 6912	<b>Well Name</b> E012	<b>ST</b> 00	<b>BP</b> 00	<b>Type</b> Development
<b>Application Status</b> Approved		<b>Operator</b> 03539 Beacon West Energy Group, LLC				

pdf QTI66024 blind flg 2\_5M  
pdf QTI66026 blind flg 2\_5M  
pdf QTI66030 blind flg 2\_5M  
pdf QTI66613 spool 11\_5M by 4ft  
pdf QTI69258 dsa 11\_3M x 11\_5M  
pdf QTI71637 man gate choke side  
pdf QTI71018 dsa 11\_3M x 11\_5M  
pdf QTI71129 annular bop  
pdf QTI71635 man gate  
pdf QTI71638 hyd gate kill side  
pdf QTI71639 hyd gate choke side  
pdf QTI71639 hyd gate  
pdf QTI71640 hyd gate  
pdf QTI72024 lower flex rams  
pdf QTI72266 blind flg 4\_5M  
pdf QTI73219 tandem booster  
pdf Final BOP Verification for Chevron Platform Gail E-12C TA  
pdf Proposed Wellbore Schematic  
pdf Current Wellbore Schematic  
pdf 06.27.22-Proposed BOP Test Plan w\_BSR  
pdf B405 REV-1  
pdf <B406 REV-1  
pdf B438 bonnet  
pdf B439 bonnet  
pdf QTI3230 spool 11\_5M by 10ft  
pdf QTI4154 single bop  
pdf QTI7685 spool 11\_5M x 16ft  
pdf QTI9334 spool 11\_5M by 5ft  
pdf QTI9483 spool 11\_5M by 5ft  
pdf QTI12855 spool 11\_5M by 4ft  
pdf QTI13091 spool 11\_5M by 6ft  
pdf QTI21222 spool 11\_5M by 2ft  
pdf QTI21301 upper flex rams  
pdf QTI22876 double bop  
pdf QTI34266 comp flg  
pdf QTI40755 comp flg  
pdf QTI55408 blind flg 4\_5M  
pdf QTI55954 spool 11\_5M by 3ft  
pdf QTI56332 um bonnet

### Application for Permit to Modify (APM)

<b>Lease</b> P00209	<b>Area</b> LA	<b>Block</b> 6912	<b>Well Name</b> E012	<b>ST</b> 00	<b>BP</b> 00	<b>Type</b> Development
<b>Application Status</b> Approved		<b>Operator</b> 03539 Beacon West Energy Group, LLC				

pdf QTI56535 vbr rams  
pdf QTI58964 dsa 11\_5M x 13\_5M

#### CONTACTS

<b>Name</b>	Jared Shaw
<b>Company</b>	Chevron U.S.A. Inc.
<b>Phone Number</b>	
<b>E-mail Address</b>	jared.shaw@chevron.com
<b>Contact Description</b>	P&A SUpt Gail WSR Chevron U.S.A. Inc.  GailWSR@chevron.com  Katie Preskitt Chevron U.S.A. Inc. 985-773-7113 lhvg@chevron.com  Vincent Patin Chevron U.S.A. Inc. 504-460-9310 vincentpatin@chevron.com Well Engineer

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to criminal penalties.

Name and Title

Date

Vincent Patin, Well P&A Engineer

11-NOV-2022

## Application for Permit to Modify (APM)

---

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.

**Application for Permit to Modify (APM)**

**Lease** P00209    **Area** LA    **Block** 6912    **Well Name** E012    **ST** 00    **BP** 00    **Type** Development  
**Application Status** Approved            **Operator** 03539 Beacon West Energy Group, LLC

**Request Variance(s)**