Application for Permit to Modify (APM)

Agency Agency Agency Tracking ID: EML-APM-256737 Tracking ID: 270VEBE5 Seneral Information API 043112044601 Approval Dt 02-JUL-2025 Approved By Bethram Ofole Submitted Dt16-JUN-2025 Well Status Completed Water Depth 842 Block 6636 Surface Lease P00188 Area SM Block 6636 Surface Lease P00188 Area SM Block 6636 Surface Lease P00188 Area SM Block 6636 Approval Comments Conditions of Approval 1. All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease serms and stipulations, the regulations of 30 CPR Part 250, Notices to Leasees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager or its designee. 2. A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3. All pressure-containing equipment must be tested to the approved permitted pressure and recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the Approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The District Manager or its designee must be immediately notified of this oressure change and, an RPM must be submitted to document the change. 1. WAR reports are due no later than noon each Wednesday. 1. Observation Narrative Permit Primary Type Completion 2. Procedural Narrative 2. Proposed or Completed Work 2. Proposed or Completed Work 2. Proposed Safety Valve 2. Type Installed SCSSV 2. Peet below Mudline 214 2. Maximum Anticipated Wellhead Pressure (psi) 2437 2. Shut-In Tubing Pressure (psi) 1200 2. Maximum Anticipated Wellhead Pressure (psi) 1500 2. Shut-In Wellhead Pressure (psi) 160 2. Rig Information 3. Name Id Type ABS Date Coast Guard Date	Lease P00188 Area SM Block 6636 Well Name H03	88 ST 01 BP 00 Type Development					
Amount: \$145.00 Tracking ID: EWL-APM-256737 Tracking ID: 270VE8E5 General Information API 043112044601 Approval Dt 02-JUL-2025 Approved By Bethram Ofole Submitted Dt16-JUN-2025 Well Status Completed Water Depth 842 Submitted Dt16-JUN-2025 Well Status Completed Water Depth 842 Surface Lease P00188 Area SM Block 6636 Approval Comments Conditions of Approval . All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease erms and stipulations, the regulations of 10 CFR Part 250, Notices to Lessees and Deprators (NTLE), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager or its designee. 2. A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3. All pressure-containing equipment must be tested to the approved permitted pressure and recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure change and, an RPM must be submitted to document the change. **Procedural Narrative Service of the Occupied Work Procedural Narrative **Permit Primary Type Completion** **Proposed or	Application Status Approved Operator 03726 Sab	ole Offshore Corp					
Amount: \$145.00 Tracking ID: EWL-APM-256737 Tracking ID: 270VE8E5 General Information API 043112044601 Approval Dt 02-JUL-2025 Approved By Bethram Ofole Submitted Dt16-JUN-2025 Well Status Completed Water Depth 842 Submitted Dt16-JUN-2025 Well Status Completed Water Depth 842 Surface Lease P00188 Area SM Block 6636 Approval Comments Conditions of Approval . All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease erms and stipulations, the regulations of 10 CFR Part 250, Notices to Lessees and Deprators (NTLE), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager or its designee. 2. A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3. All pressure-containing equipment must be tested to the approved permitted pressure and recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure change and, an RPM must be submitted to document the change. **Procedural Narrative Service of the Occupied Work Procedural Narrative **Permit Primary Type Completion** **Proposed or	Pay, gov	Pay.gov					
Approval Dt 02-JUL-2025 Approved By Bethram Ofole Submitted Dt 16-JUN-2025 Approval Comments Comments Conditions of Approval L. All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease rems and stipulations, the regulations of 30 CPR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager or its designee. C. A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. A. All pressure-containing equipment must be tested to the approved permit, the equipment must be tested at a minimum to the new observed pressure. The District Manager or its designee must be immediately notified of this pressure change and, an RPM must be submitted to document the change. A.WAR reports are due no later than noon each Wednesday. Correction Narrative Cermit Primary Type Completion Description Re electricline to add 155' MD of perforations in MC 10. Proceedural Narrative Subsurface Safety Valve Type Installed SCSSV Feet below Mudline 214 Maximum Anticipated Sufface Pressure (psi) 2437 Shut-In Tubing Pressure (psi) 1200 Maximum Anticipated Wellhead Pressure (psi) 1500 Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type ABS Date Coast Guard Date Bloowout Preventers Preventer Size Working Pressure Low High wireline 5000 3500							
Approval Dt 02-JUL-2025 Approved By Bethram Ofole Submitted Dt 16-JUN-2025 Approval Comments Comments Conditions of Approval L. All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease rems and stipulations, the regulations of 30 CPR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager or its designee. C. A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. A. All pressure-containing equipment must be tested to the approved permit, the equipment must be tested at a minimum to the new observed pressure. The District Manager or its designee must be immediately notified of this pressure change and, an RPM must be submitted to document the change. A.WAR reports are due no later than noon each Wednesday. Correction Narrative Cermit Primary Type Completion Description Re electricline to add 155' MD of perforations in MC 10. Proceedural Narrative Subsurface Safety Valve Type Installed SCSSV Feet below Mudline 214 Maximum Anticipated Sufface Pressure (psi) 2437 Shut-In Tubing Pressure (psi) 1200 Maximum Anticipated Wellhead Pressure (psi) 1500 Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type ABS Date Coast Guard Date Bloowout Preventers Preventer Size Working Pressure Low High wireline 5000 3500							
Submitted Dt16-JUN-2025 Well Status Completed Water Depth 842 Surface Lease P00188 Area SM Block 6636 Approval Comments Conditions of Approval 1. All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease terms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager or its designee. 2. A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3. All pressure-containing equipment must be tested to the approved permit, the equipment must be tested at a minimum to the new observed or the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed or essure. The District Manager or its designee must be immediately notified of this oressure change and, an RPM must be submitted to document the change. 1. WAR reports are due no later than noon each Wednesday. 2. Proposed or Completed Work 2. Proposed or Completed Work 3. Proposed or Completed Work 3. Proposed or Marrative 3. Proposed or Marrative 3. Proposed or Mudline 214 4. Maximum Anticipated Surface Pressure (psi) 2437 5. Shut-In Tubing Pressure (psi) 1200 4. Maximum Anticipated Wellhead Pressure (psi) 1500 5. Shut-In Wellhead Pressure (psi) 60 6. Rig Information 6. Name Id Type ABS Date Coast Guard Date 6. Preventer Size Working Pressure Low High 6. Wirking Pressure Low High 6. Working Pressure Low High 6. Wirking Pressure Low High							
Surface Lease P00188		Approved By Bethram Ofole					
Approval Comments Conditions of Approval 1. All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease serms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager or its designee. 2. A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3. All pressure-containing equipment must be tested to the approved permitted pressure and recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The District Manager or its designee must be immediately notified of this pressure. The District Manager or its designee must be immediately notified of this oressure. The District Manager or its designee must be immediately notified of this oressure. The District Manager or its designee must be immediately notified of this oressure. The District Manager or its designee must be immediately notified of this oressure. When reports are due no later than noon each Wednesday. Correction Narrative Permit Primary Type Completion Permit Primary Type Completed Work Operation Description See Attachment See Attachment Type Installed SCSSV Feet below Mudline 214 Maximum Anticipated Surface Pressure (psi) 2437 Shut-In Tubing Pressure (psi) 1200 Maximum Anticipated Wellhead Pressure (psi) 1500 Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type ABS Date Coast Guard Date Blowout Preventers Preventer Size Working Pressure Low High wireline	Submitted Dt 16-JUN-2025 Well Status Completed	Water Depth 842					
Londitions of Approval L. All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease terms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLS), the approved (revised) Application for Permit to Modify (APM/RFM), and any written instructions or orders of the District Manager or its designee. 2. A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3. All pressure-containing equipment must be tested to the approved permitted pressure and recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The District Manager or its designee must be immediately notified of this pressure change and, an RPM must be submitted to document the change. 1. WAR reports are due no later than noon each Wednesday. 2. Correction Narrative 2. Proposed or Completed Work 2. Proposed Safety Valve 3. Type Installed SCSSV 4. Feet below Mudline 214 4. Maximum Anticipated Surface Pressure (psi) 2437 5. Shut-In Tubing Pressure (psi) 1200 5. Maximum Anticipated Wellhead Pressure (psi) 1500 5. Shut-In Wellhead Pressure (psi) 60 2. ABS Date Coast Guard Date 30 Now Preventers 3. Preventer Size Working Pressure Low High Wireline 5000 3500		Block 6636					
Modify Perforations Proposed or Completed Work	Approval Comments Conditions of Approval 1. All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease terms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager or its designee. 2. A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3. All pressure-containing equipment must be tested to the approved permitted pressure and recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The District Manager or its designee must be immediately notified of this pressure change and, an RPM must be submitted to document the change. 4.WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Primary Type Completion						
Proposed or Completed Work Operation Description Use electricline to add 155' MD of perforations in MC 10. Procedural Narrative Use Attachment Subsurface Safety Valve Type Installed SCSSV Feet below Mudline 214 Maximum Anticipated Surface Pressure (psi) 2437 Shut-In Tubing Pressure (psi) 1200 Maximum Anticipated Wellhead Pressure (psi) 1500 Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type ABS Date Coast Guard Date Blowout Preventers Test Pressure Preventer Size Working Pressure Low High Wireline 5000 3500							
Deparation Description Use electricline to add 155' MD of perforations in MC 10. Procedural Narrative See Attachment Subsurface Safety Valve Type Installed SCSSV Feet below Mudline 214 Maximum Anticipated Surface Pressure (psi) 2437 Shut-In Tubing Pressure (psi) 1200 Maximum Anticipated Wellhead Pressure (psi) 1500 Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type ABS Date Coast Guard Date Blowout Preventers Preventer Size Working Pressure Low High Wireline 5000 3500							
Procedural Narrative See Attachment Subsurface Safety Valve Type Installed SCSSV Feet below Mudline 214 Maximum Anticipated Surface Pressure (psi) 2437 Shut-In Tubing Pressure (psi) 1200 Maximum Anticipated Wellhead Pressure (psi) 1500 Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type ABS Date Coast Guard Date Blowout Preventers Test Pressure Preventer Size Working Pressure Low High Wireline 5000 3500							
Procedural Narrative See Attachment Subsurface Safety Valve Type Installed SCSSV Feet below Mudline 214 Maximum Anticipated Surface Pressure (psi) 2437 Shut-In Tubing Pressure (psi) 1200 Maximum Anticipated Wellhead Pressure (psi) 1500 Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type ABS Date Coast Guard Date Blowout Preventers Preventer Size Working Pressure Low High Wireline 5000 3500		ic 10					
Type Installed SCSSV Feet below Mudline 214 Maximum Anticipated Surface Pressure (psi) 2437 Shut-In Tubing Pressure (psi) 1200 Maximum Anticipated Wellhead Pressure (psi) 1500 Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type ABS Date Coast Guard Date Blowout Preventers Test Pressure Preventer Size Working Pressure Low High Wireline 5000 3500	Procedural Narrative	3 20.					
Type Installed SCSSV Feet below Mudline 214 Maximum Anticipated Surface Pressure (psi) 2437 Shut-In Tubing Pressure (psi) 1200 Maximum Anticipated Wellhead Pressure (psi) 1500 Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type ABS Date Coast Guard Date Blowout Preventers Test Pressure Preventer Size Working Pressure Low High Wireline 5000 3500	See Attachment						
Feet below Mudline 214 Maximum Anticipated Surface Pressure (psi) 2437 Shut-In Tubing Pressure (psi) 1200 Maximum Anticipated Wellhead Pressure (psi) 1500 Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type ABS Date Coast Guard Date Blowout Preventers Test Pressure Preventer Size Working Pressure Low High Wireline 5000 3500	Subsurface Safety Valve						
Maximum Anticipated Surface Pressure (psi) 2437 Shut-In Tubing Pressure (psi) 1200 Maximum Anticipated Wellhead Pressure (psi) 1500 Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type ABS Date Coast Guard Date Blowout Preventers Preventer Size Working Pressure Low High Wireline 5000 3500	Type Installed SCSSV						
Shut-In Tubing Pressure (psi) 1200 Maximum Anticipated Wellhead Pressure (psi) 1500 Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type ABS Date Coast Guard Date Blowout Preventers Test Pressure Preventer Size Working Pressure Low High Wireline 5000 3500	Feet below Mudline 214						
Maximum Anticipated Wellhead Pressure (psi) 1500 Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type ABS Date Coast Guard Date Blowout Preventers Test Pressure Preventer Size Working Pressure Low High Wireline 5000 3500	Maximum Anticipated Surface Pressure (psi) 2437						
Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type ABS Date Coast Guard Date Blowout Preventers Test Pressure Preventer Size Working Pressure Low High Wireline 5000 3500	Shut-In Tubing Pressure (psi) 1200						
Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type ABS Date Coast Guard Date Blowout Preventers Test Pressure Preventer Size Working Pressure Low High Wireline 5000 3500							
Name Id Type ABS Date Coast Guard Date Blowout Preventers Test Pressure Preventer Size Working Pressure Low High Wireline 5000 3500							
Name Id Type ABS Date Coast Guard Date Blowout Preventers Test Pressure Preventer Size Working Pressure Low High Wireline 5000 3500							
Preventer Size Working Pressure Low High Wireline 5000 3500	Shut-In Wellhead Pressure (psi) 60						
Preventer Size Working Pressure Low High Wireline 5000 3500	Shut-In Wellhead Pressure (psi) 60 Rig Information	ABS Date Coast Guard Date					
Wireline 5000 3500	Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type						
	Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type Blowout Preventers	Test Pressure					
	Shut-In Wellhead Pressure (psi) 60 Rig Information Name Id Type Blowout Preventers Preventer Size Working Pressure	Test Pressure Low High					

1

Page:

Application for Permit to Modify (APM)

Lease P00188 Well Name H038 **ST** 01 BP 00 Type Development Area SM **Block** 6636 Application Status Approved Operator 03726 Sable Offshore Corp

Estimated duration of the operation (days) 3

Verbal	Approval Information			
	Official	Date (mm/	/dd/yyyy)	
Questi	ons			
Number	Question	Response	Response	Text
A	Is H2S present in the well? If yes, then comment on the inclusion of a Contingency Plan for this operation.	YES	Approved 1	H2S Contingency plan Available
В	Is this proposed operation the only lease holding activity for the subject lease? If yes, then comment.	NO		
С	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	N/A		
D	If sands are to be commingled for this completion, has approval been obtained?	N/A		
E	Will the completed interval be within 500 feet of a block line? If yes, then comment.	NO		
F	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.	N/A		
G	Will you ensure well-control fluids, equipment, and operations be designed, utilized, maintained, and/or tested as necessary to control the well in foreseeable conditions and circumstances, including subfreezing conditions?	YES		
H	Will digital BOP testing be used for this operation? If "yes", state which version in the comment box?	N/A		
I	Is this APM being submitted to remediate sustained casing pressure (SCP)? If "yes," please specify annulus in the comment box. If you have been given a departure/denial for SCP, include in the attachments.	NO		

Application for Permit to Modify (APM)

Lease P00188 Area SM Block 6636 Well Name H038 ST 01 BP 00 Type Development							
Application Status Approved Operator 03726 Sable Offshore Corp							
Questi	ons						
Number	Question		Respons	e Res	ponse Tex	:t	
J	casing with a have documenta will verify th API RP 2D. Thi must be mainta	g tubulars and/or crane? If "YES" tion on how you e load is free per s documentation ined by the lessees field office.	N/A				
K	covered by an	e provide permit	N/A				
L	work string/ t tubing/snubbin yes, attach a	g/wireline? If list of all sizes luding the size,	N/A				
M	dynamically po and/or non-bot	e you utilizing a sitioned vessel	NO				
	operation.	A	TACHME	NTS			
File Tyr pdf pdf							
CONTACTS							
Name	Name Ben Martin						
Company	Company Sable Offshore Corp						
Phone N	Phone Number 713-859-7391						
E-mail	E-mail Address bmartin@sableoffshore.com						
Contact	Description	Director of Comple	tions				

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to ca

Name	and	Title		Date	
			Brian Hansen, Regulatory Advisor		16-JUN-2025

Application for Permit to Modify (APM)

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.

Application for Permit to Modify (APM)

Lease P00188 Area SM Block 6636 Well Name H038 ST 01 BP 00 Type Development Application Status Approved Operator 03726 Sable Offshore Corp

Variances Requested for this Permit

Application for Permit to Modify (APM)

Lease P00188 Area SM Block 6636 Well Name H038 ST 01 BP 00 Type Development Application Status Approved Operator 03726 Sable Offshore Corp

Existing Variances

No previously approved variances exist for this permit

Application for Permit to Modify (APM)

Lease P00188 Area SM Block 6636 Well Name H038 ST 01 BP 00 Type Development

Application Status Approved Operator 03726 Sable Offshore Corp

Reviews

Review: APM - District Production Engineering Review

Sent: 17-JUN-25 Review Started: 18-JUN-25 Review Finished: 18-JUN-25

Info Adequate: Y

Review Remarks:

Review: Determination of NEPA Adequacy

Sent: 17-JUN-25 Review Started: 17-JUN-25 Review Finished: 02-JUL-25

Info Adequate: Y

Review Remarks: