

Revised Permit to Modify (RPM)

Lease P00441	Area SM	Block 6374	Well Name A007	ST 00	BP 00	Type Development
Application Status Approved		Operator 03280 Freeport-McMoRan Oil & Gas LLC				
Pay.gov Amount:		Agency Tracking ID:		Pay.gov Tracking ID:		
General Information						
API 560452005600		Approval Dt 08-JAN-2026		Approved By Brian Little		
Submitted Dt 11-DEC-2025		Well Status Permantly Abandoned		Water Depth 242		
Surface Lease P00441		Area SM		Block 6374		
Approval Comments						
Conditions of Approval						
1)All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease terms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager or their designee.						
2)A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation.						
3)A revised PE certification is required if:						
.The plug type changes in any way, including changes in cement properties.						
.Any plug's base setting depth (even those not required per §250.1715) changes by ±100' TVD.						
.The pressure test changes on any plug.						
.Less cement is to be pumped.						
.More cement is to be pumped to isolate a hydrocarbon zone not anticipated in the original permit.						

Revised Permit to Modify (RPM)

Lease P00441	Area SM	Block 6374	Well Name A007	ST 00	BP 00	Type Development
Application Status Approved		Operator 03280 Freeport-McMoRan Oil & Gas LLC				

.A remedial cement job is required that was not included in the original permit.

.Any plug change that causes deviation from the §250.1715 table. You must have a PE certify these changes prior to performing the operations. A revised permit with the PE certification must be submitted to this office within 72 hours.

4)While conducting operations, you must have current OSFR coverage for the lease (if applicable). If the lease's OSFR coverage will expire during OCS operations, you must submit an RPM to include the updated OSFR coverage to BSEE prior to the expiration date.

5)If well pressures exceed the permitted MASP/SITP pressures:

The well control equipment in use must be tested to at least the new observed pressure plus 500 psi.

.The appropriate District must be immediately notified of these pressure changes.

.An RPM must be submitted to document the change.

.If utilizing wireline, the wireline lubricator must be tested to equal or greater than the new observed pressure.

6)High-pressure blind shear ram close capability must be available from all BOP control panels. Each panel must be clearly marked to indicate that the accumulator system's high-pressure side is required for closing and shearing the drill pipe with the blind-shear rams. If the high-pressure bypass selector valve is not available at all BOP control panels, the accumulator system must be always set to the high-pressure position, except during pressure and function testing.

7)In the event of BOP system failure or leak, you must immediately contact the District Office and receive approval from the District Manager prior to resuming operations. A revised permit will be required to document third-party verification that the BOP is fit

Revised Permit to Modify (RPM)

Lease P00441	Area SM	Block 6374	Well Name A007	ST 00	BP 00	Type Development
Application Status Approved		Operator 03280 Freeport-McMoRan Oil & Gas LLC				

for service and will operate under the conditions in which it will be used.

8)At the end of this operation, a tree or dry hole tree must be installed and tested for the purpose of monitoring all non-structural casing annuli that are tied back to the surface.

9)Notify the permitting section at least 72 hours prior to beginning the initial test to allow BSEE representative(s) the opportunity to witness the testing, in accordance with 30 CFR 250.737(d)(2)(ii). If BSEE representative(s) are unable to witness the testing, you must submit the initial test results to the permitting section within 72 hours after completion of the tests.

10)Any casing or annuli that fail a pressure/bubble test must be reported and remediated.

11) Well Activity Reports (WARs) are due no later than noon every Wednesday.

Correction Narrative

Verbal approval granted by Mr. Joh Kaiser.

Permit Primary Type Abandonment Of Well Bore

Permit Subtype(s)
Temporary Abandonment

☐ Proposed or ☐ Completed Work

Operation Description

Procedural Narrative

Please refer to attached procedures and WBS.

Subsurface Safety Valve

Type Installed N/A

Feet below Mudline

Maximum Anticipated Surface Pressure (psi) 1546

Shut-In Tubing Pressure (psi) 0

Maximum Anticipated Wellhead Pressure (psi)

Shut-In Wellhead Pressure (psi)

Rig Information

Name	Id	Type	ABS Date	Coast Guard Date
* HYDRAULIC WORKOVER UNIT	47935	Hydraulic Workover	31-DEC-2049	31-DEC-2049

Blowout Preventers

Preventer	Size	Working Pressure	Low	High
Rams	21.25	5000	250	1000
Annular		2000	250	1000

Revised Permit to Modify (RPM)

Lease P00441	Area SM	Block 6374	Well Name A007	ST 00	BP 00	Type Development
Application Status Approved		Operator 03280 Freeport-McMoRan Oil & Gas LLC				
Blowout Preventers						
Preventer	Size	Working Pressure	--- Test Pressure ---			
Wireline Luber		5000	Low	High		
				1000		
Date Commencing Work (mm/dd/yyyy) 01-AUG-2025						
Estimated duration of the operation (days) 14						
Verbal Approval Information						
Official			Date (mm/dd/yyyy)			
Mr. John Kaiser			04-DEC-2025			
Questions						
Number	Question	Response	Response Text			
A	Is H2S present in the well? If yes, then comment on the inclusion of a Contingency Plan for this operation.	YES	Previously submitted.			
B	Is this proposed operation the only lease holding activity for the subject lease? If yes, then comment.	N/A				
C	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	YES				
D	If sands are to be commingled for this completion, has approval been obtained?	N/A				
E	Will the completed interval be within 500 feet of a block line? If yes, then comment.	N/A				
F	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.	N/A				
G	Will you ensure well-control fluids, equipment, and operations be designed, utilized, maintained, and/or tested as necessary to control the well in foreseeable conditions and circumstances, including subfreezing conditions?	YES				
H	Will digital BOP testing be used for this operation? If "yes", state which version in the comment box?	YES	OTC Greenlight Version 2.0			

Revised Permit to Modify (RPM)

Lease P00441	Area SM	Block 6374	Well Name A007	ST 00	BP 00	Type Development
Application Status Approved		Operator 03280 Freeport-McMoRan Oil & Gas LLC				

Questions

Number	Question	Response	Response Text
I	Is this APM being submitted to remediate sustained casing pressure (SCP)? If "yes," please specify annulus in the comment box. If you have been given a departure/denial for SCP, include in the attachments.	YES	SCP, 9-5/8 casing = 134 psi, 13-3/8" casing = 197 psi
J	Are you pulling tubulars and/or casing with a crane? If "YES" have documentation on how you will verify the load is free per API RP 2D. This documentation must be maintained by the lessee at the lessee's field office.	NO	
K	Will the proposed operation be covered by an EPA Discharge Permit? (Please provide permit number comments for this question).	N/A	
L	Will you be using multiple size work string/ tubing/coil tubing/snubbing/wireline? If yes, attach a list of all sizes to be used including the size, weight, and grade.	YES	Drillpipe - 3½", 13.3, S-135 Electric Line - 7/32", 0.092, GEIPS
M	For both surface and subsea operations, are you utilizing a dynamically positioned vessel and/or non-bottom supported vessel at any time during this operation?	N/A	

ATTACHMENTS

File Type	File Description
pdf	Rig/Coil Tubing/Snubbing Unit BOP Schematic
pdf	Proposed Wellbore Schematic
pdf	Current Wellbore Schematic
pdf	20in Cmt Diff Analysis Calc
pdf	BOP Classification
pdf	Cement Bond Index, Well Cementing, E.B. Nelson
pdf	Class G Cmt Compressive Strength & Shear Bond Strength
pdf	Equipment Layout
pdf	Final BOPE Verification
pdf	ISS degasser Calc
pdf	Initial Test Schematic
pdf	Narrative Ops

Revised Permit to Modify (RPM)

Lease P00441	Area SM	Block 6374	Well Name A007	ST 00	BP 00	Type Development
Application Status Approved		Operator 03280 Freeport-McMoRan Oil & Gas LLC				
pdf Rig Up Analysis						
pdf Sub Test Schematic						
pdf Test Procedures						
pdf Test Schematic						
pdf Conditions of approval						
pdf Well A-07 CER						
pdf Verbal Approval & Revised Procedure						
CONTACTS						
Name		Nancy Rodriguez				
Company		Freeport-McMoRan Oil & Gas LLC				
Phone Number		281-539-7640				
E-mail Address		nrodrigu@fmi.com				
Contact Description						

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to ci

Name and Title	Date
Nancy Rodriguez, Regulatory Supervisor	11-DEC-2025

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.

Revised Permit to Modify (RPM)

Lease P00441 **Area** SM **Block** 6374 **Well Name** A007 **ST** 00 **BP** 00 **Type** Development
Application Status Approved **Operator** 03280 Freeport-McMoRan Oil & Gas LLC

Variances Requested for this Permit

Revised Permit to Modify (RPM)

Lease P00441 **Area** SM **Block** 6374 **Well Name** A007 **ST** 00 **BP** 00 **Type** Development
Application Status Approved **Operator** 03280 Freeport-McMoRan Oil & Gas LLC

Existing Variances

No previously approved variances exist for this permit

Revised Permit to Modify (RPM)

Lease P00441 Area SM Block 6374 Well Name A007 ST 00 BP 00 Type Development
Application Status Approved Operator 03280 Freeport-McMoRan Oil & Gas LLC

Reviews

Review:	APM - District Production Engineering Review
Sent:	30-DEC-25
Review Started:	08-JAN-26
Review Finished:	08-JAN-26
Info Adequate:	Y
Review Remarks:	

Review:	BOP Control System Drawing Review
Sent:	30-DEC-25
Review Started:	08-JAN-26
Review Finished:	08-JAN-26
Info Adequate:	Y
Review Remarks:	

Review:	Determination of NEPA Adequacy
Sent:	11-DEC-25
Review Started:	11-DEC-25
Review Finished:	11-DEC-25
Info Adequate:	Y
Review Remarks:	