

### Application for Permit to Modify (APM)

<b>Lease</b> P00300	<b>Area</b> LB	<b>Block</b> 6438	<b>Well Name</b> A065	<b>ST</b> 00	<b>BP</b> 00	<b>Type</b> Development
<b>Application Status</b> Approved			<b>Operator</b> 03126 Beta Operating Company, LLC			

<b>Pay.gov</b>	<b>Agency</b>	<b>Pay.gov</b>
<b>Amount:</b> \$125.00	<b>Tracking ID:</b> EWL-APM-206564	<b>Tracking ID:</b> 26L07FT2

<b>General Information</b>		
<b>API</b> 043122009900	<b>Approval Dt</b> 01-NOV-2019	<b>Approved By</b> John Kaiser
<b>Submitted Dt</b> 21-OCT-2019	<b>Well Status</b> Completed	<b>Water Depth</b> 265
<b>Surface Lease</b> P00300	<b>Area</b> LB	<b>Block</b> 6438

**Approval Comments**

Conditions of Approval:

- 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease terms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager.
- 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation.
- 3) If it becomes necessary to remove the wellhead an RPM is required. At that point All pressure containing equipment must be tested to the approved permitted pressure and recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change and a RPM submitted to document the change.
- 4) Notify the Permitting Section at Least 24 hours in advance of beginning these approved operations AND of any required BOP tests.
- 5) WAR reports are due no later than noon each Wednesday.

**Correction Narrative**

<b>Permit Primary Type</b> Workover
<b>Permit Subtype(s)</b> Acidize

**Operation Description**

An acid treatment of 1,375 gals (SB4 volume is 25,461 gals) of SLB PT Cal-acid will be pumped and left to soak overnight to clean the iron sulfide/scale from the wellbore and gravel pack of injector.

**Procedural Narrative**

In September, 2019 a slickline unit tagged bottom at 5,174' which is 271' above the bottom perf. An injection survey was attempted, but the spinner tool was unable to get good data due to iron sulfide solids plugging the tool. An acid treatment of 1,375 gals (SB4 volume for 667' completion interval with 26% porosity is 25,461 gals) of SLB PT Cal-acid will be pumped and left to soak overnight to clean the iron sulfide/scale from the wellbore and gravel pack.

**Subsurface Safety Valve**

**Type Installed** SCSSV

**Feet below Mudline** 233

**Maximum Anticipated Surface Pressure (psi)** 1400

**Shut-In Tubing Pressure (psi)**

**Rig Information**

### Application for Permit to Modify (APM)

**Lease** P00300    **Area** LB    **Block** 6438    **Well Name** A065    **ST** 00    **BP** 00    **Type** Development  
**Application Status** Approved                      **Operator** 03126 Beta Operating Company, LLC

Name	Id	Type	ABS Date	Coast Guard Date
* NON RIG UNIT OPERATION	50941		31-DEC-2019	31-DEC-2019

Blowout Preventers				
Preventer	Size	Working Pressure	--- Test Pressure ---	
			Low                      High	

**Date Commencing Work (mm/dd/yyyy)** 25-OCT-2019

**Estimated duration of the operation (days)** 2

Verbal Approval Information	
Official	Date (mm/dd/yyyy)

Questions			
Number	Question	Response	Response Text
1	Is H2S present in the well? If yes, then comment on the inclusion of a Contingency Plan for this operation.	NO	
2	Is this proposed operation the only lease holding activity for the subject lease? If yes, then comment.	NO	
3	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	N/A	
4	Are you downhole commingling two or more reservoirs?	NO	
5	Will the completed interval be within 500 feet of a lease or unit boundary line? If yes, then comment.	NO	
6	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.	N/A	
7	Will the proposed operation be covered by an EPA Discharge Permit? (Please provide permit number in comments for this question)	N/A	

#### ATTACHMENTS

File Type	File Description
pdf	Current Wellbore Schematic
pdf	SLB Cal-Acid data pack
pdf	Deviation Survey with Dog Leg Severity

### Application for Permit to Modify (APM)

<b>Lease</b> P00300	<b>Area</b> LB	<b>Block</b> 6438	<b>Well Name</b> A065	<b>ST</b> 00	<b>BP</b> 00	<b>Type</b> Development
<b>Application Status</b> Approved		<b>Operator</b> 03126 Beta Operating Company, LLC				
pdf Well A-65 Categorical Exclusion Review						
pdf A-65 Acid Treatment Procedure						
<b>CONTACTS</b>						
<b>Name</b>	Rebecca Altemus					
<b>Company</b>	Beta Operating Company, LLC					
<b>Phone Number</b>	832-408-8652					
<b>E-mail Address</b>	rebecca.altemus@amplifyenergy.com					
<b>Contact Description</b>						

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to ci

Name and Title

Date

Rebecca Altemus, Senior Staff Reservoir Eng

21-OCT-2019

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.