

Application for Permit to Modify (APM)

Lease P00301	Area LB	Block 6488	Well Name A056	ST 00	BP 02	Type Development
Application Status Approved		Operator 03126 Beta Operating Company, LLC				
Pay.gov Amount: \$125.00		Agency Tracking ID: EWL-APM-208658		Pay.gov Tracking ID: 2601UOOR		
General Information						
API 043122007300		Approval Dt 06-MAR-2020		Approved By John Kaiser		
Submitted Dt 05-MAR-2020		Well Status Completed		Water Depth 265		
Surface Lease P00300		Area LB		Block 6438		
Approval Comments						
Conditions of Approval: 1)All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease terms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager. 2)A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3)All pressure containing equipment must be tested to the approved permitted pressure and recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change and a RPM submitted to document the change. 4)Notify the Permitting Section at Least 24 hours in advance of beginning these approved operations AND of any required BOP tests. 5)WAR reports are due no later than noon each Wednesday.						
Correction Narrative						
Permit Primary Type Enhance Production						
Permit Subtype(s) Acidize Artificial Lift Change Tubing						
Operation Description						
Procedural Narrative A-56 workover will include cleaning out the wellbore, pumping an acid stimulation to clean up the gravel pack, running a new ESP pump, new tubing and new Mud Line packer. APPENDIX A: (MTS Acid Stimulation) SB4 Volume Calculation: 27400 gals for a 2000 ft perforation Interval with reservoir porosity of 26% Job design calls for 3,000 gals of 15% HCL equivalent This job will require Pump 2,000 gals (47.6 bbls) MTS Pre-Flush Blend of 4% NH4CL & 87 gals of mutual solvent, 3,000 gals (71.4 bbls) of MTS acid Treatment with Additives, and 9.2 PPG CaCl2 brine. The Final Displacement is 90 BBLS of 8.9 CaCL2 brine on an assumed 0 to 500 PSI BHP. Treating pressure at 2 BPM. The maximum allowable surface treating pressure for this treatment will be 1,000 psig.						

Application for Permit to Modify (APM)

Lease P00301 **Area** LB **Block** 6488 **Well Name** A056 **ST** 00 **BP** 02 **Type** Development
Application Status Approved **Operator** 03126 Beta Operating Company, LLC

Subsurface Safety Valve
Feet below Mudline 250
Maximum Anticipated Surface Pressure (psi) 1400
Shut-In Tubing Pressure (psi)

Rig Information				
Name	Id	Type	ABS Date	Coast Guard Date
BETA RIG #1	36007	PLATFORM	01-JAN-2014	01-JAN-2014

Blowout Preventers				
Preventer	Size	Working Pressure	--- Test Pressure ---	
			Low	High
Rams	2X5	5000	250	2350
Annular		5000	250	2350

Date Commencing Work (mm/dd/yyyy) 07-MAR-2020

Estimated duration of the operation (days) 11

Verbal Approval Information	
Official	Date (mm/dd/yyyy)

Questions			
Number	Question	Response	Response Text
1	Is H2S present in the well? If yes, then comment on the inclusion of a Contingency Plan for this operation.	NO	
2	Is this proposed operation the only lease holding activity for the subject lease? If yes, then comment.	NO	
3	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	N/A	
4	Are you downhole commingling two or more reservoirs?	NO	
5	Will the completed interval be within 500 feet of a lease or unit boundary line? If yes, then comment.	NO	
6	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.	N/A	
7	Will the proposed operation be covered by an EPA Discharge Permit? (Please provide permit number in comments for this question)	N/A	

Application for Permit to Modify (APM)

Lease P00301	Area LB	Block 6488	Well Name A056	ST 00	BP 02	Type Development
Application Status Approved			Operator 03126 Beta Operating Company, LLC			

ATTACHMENTS

File Type	File Description
pdf	Well Test Information
pdf	Proposed Wellbore Schematic
pdf	Current Wellbore Schematic
pdf	A-56 PROGRAM
pdf	ELLEN BOP DATA
pdf	Well A-56 CER

CONTACTS

Name	Marielle Lomax
Company	Beta Operating Company, LLC
Phone Number	562-628-1544
E-mail Address	marielle.lomax@amplifyenergy.com
Contact Description	Operations Engineer

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to ci

Name and Title

Date

 Marielle Lomax, Drilling Engineer

 05-MAR-2020

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.