

**UNITED STATES DEPARTMENT OF THE INTERIOR
MINERALS MANAGEMENT SERVICE
GULF OF MEXICO OCS REGION**

NTL No. 2007-G16

Effective Date: May 14, 2007

NOTICE TO LESSEES AND OPERATORS OF FEDERAL OIL, GAS, AND SULPHUR
LEASES AND PIPELINE RIGHT-OF-WAY HOLDERS
IN THE OUTER CONTINENTAL SHELF, GULF OF MEXICO OCS REGION

Hurricane and Tropical Storm Effects Reports

This Notice to Lessees and Operators (NTL) is issued pursuant to 30 CFR 250.103 and supersedes NTL No. 2006-G19, effective October 25, 2006, on this subject. It provides clarification on using the eWell Permitting and Reporting System to report hurricane and tropical storm effects information, specifies the information included in the various hurricane and tropical storm reports, updates contact information, and updates a regulatory citation.

Background

Under 30 CFR 250.192, you must submit statistics to the Minerals Management Service (MMS) Gulf of Mexico OCS Region (GOMR) regarding evacuation of personnel and curtailment of production because of hurricanes and tropical storms. Pursuant to 30 CFR 250.186(a), the MMS GOMR has established the Facility Shut-in Report, three facility damage reports, and the Pollution Report to supplement and provide more detail about the required evacuation and production shut-in statistics. The MMS GOMR uses these data and information to work interactively with the U.S. Coast Guard (USCG) on rescue needs and to notify the news media and interested public entities that monitor shut-in production and hurricane and tropical storm damage. The MMS GOMR uses the data from the pollution report to identify environmental and man-made assets at risk, provide background data for natural resource damage assessments, assist the USCG in prioritization and coordination of oil spill response operations, and for status reports to public and private entities.

Definitions

Curtailed Production means well production that is metered for MMS royalty on your facility that is shut in either partially or totally because of an impending storm. This includes un-metered production boarding from other facilities and/or shut-in subsea wells that flow to and are metered on your facility. If production is metered onshore, include that shut-in production in your report.

Evacuation means the removal of all personnel (both essential and non-essential) from a platform or drilling rig.

E-mail Submittal

A. Form MMS-132. Complete [Form MMS-132](#) (see the Attachment to this NTL). This form specifies the information that the MMS GOMR collects when platforms and drilling rigs are evacuated and/or curtailed production because of a storm. On the form, include only those platforms and drilling rigs that are fully evacuated and those that are not evacuated. This form is available at the MMS Internet website at <http://www.gomr.mms.gov/homepg/mmsforms/frmindx.html>; however, we suggest that you maintain copies of the form in your office in the event the website is not available.

B. Facility Shut-in Report. In addition to Form MMS-132, provide the MMS GOMR with a report regarding each facility that remains shut in because of storm damage. Include the following in the Facility Shut-in Report:

1. Contact information;
2. Platform name;
3. Daily oil production (BPD);
4. Cumulative oil shut in (barrels);
5. Daily natural gas production (MMSCFPD);
6. Cumulative natural gas shut in (MMSCF);
7. Anticipated time to return to production (days); and
8. Reason for shut-in (facility damage or transportation system damage).

C. Facility damage reports. As appropriate, provide the MMS GOMR with Platform Damage Reports, Rig Damage Reports, and Pipeline Damage Reports to report those incidents specified in 30 CFR 250.188(a) caused by a storm.

1. Include the following in a Platform Damage Report:
 - a. Contact information;
 - b. Storm name;
 - c. Platform name;
 - d. Damage description, including an indication of whether the platform was destroyed, fully submerged, suffered a fire, and/or suffered damage any process equipment; and
 - e. Description of any action taken to address the damage.
2. Include the following in a Rig Damage Report:
 - a. Contact information;
 - b. Storm name;
 - c. Rig name;
 - d. Current rig location;
 - e. Damage description, including an indication of whether the rig was destroyed, fully submerged, suffered a fire, still adrift, and/or suffered a mooring line failure; and
 - f. Description of any action taken to address the damage.
3. Include the following in a Pipeline Damage Report:
 - a. Contact information;
 - b. Storm name;
 - c. MMS-assigned pipeline segment number;

- d. Damage location (including OCS area and block, and latitude and longitude);
- e. Damage description, including the component description, and the location, primary cause (impact, mudslide, platform destroyed, etc.); and
- f. Description of any action taken to address the damage.

D. Pollution Report. As appropriate, provide the MMS GOMR with a report regarding each platform or pipeline that has discharged or is continuing to discharge oil into the environment to report pollution events specified in 30 CFR 254.46(b) caused by a storm. Include the following in a Pollution Report:

1. Contact information;
2. Storm name;
3. Platform name or MMS-assigned pipeline segment number;
4. Date spill discovered;
5. National Response Center report number;
6. Cause;
7. Spill location, including latitude and longitude and distance to shore;
8. Estimated rate of release and current cumulative volume spilled;
9. Type of hydrocarbon spilled, including API^o gravity;
10. Spill response status, including total amount recovered;
11. Spill source abatement status; and
12. For spills greater than 50 barrels, the sea state, meteorological conditions, and the size and appearance of the slick.

E. Submittal. E-mail Form MMS-132 and the Facility Shut-in Report to the MMS GOMR at evacstats@mms.gov before 11:00 a.m. daily during the period of evacuation and shut-in. E-mail the Pollution Report to the MMS GOMR at evacstats@mms.gov before 11:00 a.m. daily while a spill is ongoing. If you are unable to e-mail the form or reports, telefax them to the MMS GOMR, Office of Field Operations, Technical Assessment and Operations Support Section, at (504) 736-5704. If you are unable to transmit the information to the MMS GOMR by either e-mail or telefax, telefax it to MMS headquarters office in Herndon, Virginia, at (703) 787-1093.

E-mail the appropriate damage reports to the MMS GOMR at evacstats@mms.gov as soon as the information becomes available. If you are unable to e-mail the damage reports, use the above telefax numbers in the same order of preference to make this notification.

F. District damage reports. If you are providing daily Facility Shut-in Report and the damage reports as described in paragraphs B and C above, do not also report this same information in your damage reports to the MMS GOMR District Manager.

G. Resumption of production. Under 30 CFR 250.192(c), you must notify the MMS GOMR when you resume production. Use the above e-mail address or telefax numbers in the same order of preference to make this notification.

Electronic Submittal

A. General. Under 30 CFR 250.186(a)(3), you may submit digital data when MMS is equipped to accept it. The MMS GOMR developed the Internet-based eWell Permitting and Reporting System (eWell), as described in NTL No. 2007-G15, effective May 14, 2007, to provide this capability for well information. This system has been very successful and its use

has greatly increased the efficiency of the transactions between OCS lessees and lease operators and the MMS GOMR.

The MMS GOMR has enhanced eWell to provide you with the capability of electronically submitting the information on Form MMS-132 and the Facility Shut-in Report as one report (entitled Platform/Rig Evacuation and Production Curtailment Report), the facility damage reports, and the Pollution Report. We strongly encourage you to use the eWell enhancements to provide the reports in lieu of submitting them by e-mail. We believe eWell provides an easier and more reliable reporting method, facilitates better business transactions, and provides for timelier decision making and information dissemination.

These enhancements are in the section in eWell entitled “Hurricane Reports,” and became operational on June 15, 2006. This section is divided into five individual reports.

1. Platform/Rig Evacuation and Production Curtailment Report (30 CFR 250.192 and 186(a));
2. Platform Damage Report (30 CFR 250.188(a));
3. Rig Damage Report (30 CFR 250.188(a));
4. Pipeline Damage Report (30 CFR 250.188(a)); and
5. Pollution Report (30 CFR 254.46(b)).

B. Procedures to Establish an eWell Account. Those lessees and lease operators and pipeline right-of-way (ROW) holders interested in participating in this online system must apply to the MMS GOMR in order to designate a company representative to receive administrative entitlements. Attached to NTL No. 2007-G15 is an “Application Manual” that provides information and guidance on obtaining access to eWell. Those companies currently using eWell need not reapply unless they intend to add new users specifically responsible for submitting these reports.

C. Procedures for Using eWell for Submitting Storm Effects Reports. The Platform/Rig Evacuation and Production Curtailment Report was designed to allow you to report your facility evacuations and production curtailments together. Once the initial report is created, you can easily copy the report to provide the required daily updates. This combined report replaces the Form MMS-132 and the Facility Shut-in Report.

Use the Platform Damage Report, the Rig Damage Report, and the Pipeline Damage Report to provide information regarding damage to any of your facilities. Provide information regarding any pollution associated with the facility damage in the Pollution Report, which can be created by navigating from a damage report. If you have reportable pollution not associated with reportable damage, you can create a Pollution Report independently. Once you create a Pollution Report, you can then copy the report to provide the required daily updates.

If the “Hurricane Reports” section in eWell is not functioning or is otherwise not available, submit Form MMS-132 and the other reports by e-mail or telefax as described above.

Miscellaneous

A. Whether you submit Form MMS-132 and the other reports by e-mail or use the “Hurricane Reports” section in eWell, report only that production that is shut in from hurricanes or tropical storms that occurred during the current hurricane season.

B. During or after a storm, refer to the MMS website at <http://www.mms.gov> for further information or instructions.

Paperwork Reduction Act of 1995 Statement

The information collection referred to in this NTL is intended to provide clarification, description, or interpretation of requirements contained in 30 CFR 250, subpart A and 30 CFR 254, subpart C. The Office of Management and Budget (OMB) has approved the information collection requirements in these regulations under OMB Control Numbers 1010-0114 and 1010-0091, respectively. This NTL does not impose additional information collection requirements subject to the Paperwork Reduction Act of 1995.

Contacts

If you have any questions regarding this NTL, please contact Mr. Lance Labiche of the Office Safety Management by telephone at (504) 736-2433 or by e-mail at lance.labiche@mms.gov, or Ms. Christy Bohannon of the Technical Assessment and Operations Support Section by telephone at (504) 736-2843 or by e-mail at christy.bohannon@mms.gov.

[original signed]

Lars T. Herbst
Acting Regional Director

Attachment

HURRICANE AND TROPICAL STORM EVACUATION AND PRODUCTION CURTAILMENT STATISTICS GULF OF MEXICO OCS REGION (GOMR)

SEND COMPLETED FORM VIA E-MAIL OR TELEFAX BEFORE 11:00 A.M. DAILY
DURING THE PERIOD OF EVACUATION AND SHUT-IN TO:

E-MAIL: EVACSTATS@MMS.GOV

FAX: GOMR (Primary) - (504) 736-5704
GOMR (Alternate) - (504) 736-2426
MMS Headquarters (if GOMR office is closed) - (703) 787-1093

Name of Hurricane or Tropical Storm: _____

Company: _____

Contact: _____ Telephone Number: _____

Date: _____ Time: _____

EVACUATION STATISTICS BY GOMR DISTRICT OFFICE

TYPE OF FACILITY	Lake Jackson	Lake Charles	Lafayette	Houma	New Orleans	TOTAL
No. of platforms evacuated						
No. of drilling rigs evacuated						
No. of platforms <u>not</u> evacuated						
No. of drilling rigs <u>not</u> evacuated						

PRODUCTION SHUT-IN STATISTICS BY GOMR DISTRICT OFFICE

TYPE OF PRODUCTION	Lake Jackson	Lake Charles	Lafayette	Houma	New Orleans	TOTAL
Oil (BOPD)						
Gas (MMSCFD)						

Paperwork Reduction Act of 1995 (PRA) Statement: The PRA (44 U.S.C. 3501 *et seq.*) requires us to inform you that MMS collects this information to be informed when operations and production are disrupted due to hurricanes or natural disasters. MMS uses this information to notify the Coast Guard in case of rescue needs and oil spills; to monitor when production is shut in and when resumed; and to notify the news media and interested public entities. Responses are mandatory (43 U.S.C. 1331 *et seq.*). No proprietary information is collected. An agency may not conduct or sponsor, and you are not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 1 hour per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. You may direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, Department of the Interior, 1849 C Street, NW, Washington, DC 20240.